

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023

Revision date 22nd August 2025 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

L.1. Product identifier Aquatitron PF
Substance / mixture mixture

UFI GG8X-P06D-3009-RYY8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT numberCZ02096013Phone+420 226 060 681Emailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. Email info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 2, H225

Acute Tox. 3, H301+H311+H331

Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H336 Carc. 2, H351 Repr. 1B, H360D STOT SE 1, H370 STOT RE 1, H372 Aquatic Chronic 3, H412

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. May cause drowsiness or dizziness. Causes damage to organs. May damage the unborn child. Causes serious eye damage. Causes severe skin burns and eye damage. Toxic if swallowed, in contact with skin or if inhaled. Harmful to aquatic life with long lasting effects.



3.0

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 2025

Version

2.2. Label elements

Hazard pictogram









Signal word

Danger

Hazardous substances

chloroform methanol imidazole sulphur dioxide hydriodic acid ... %

Hazard statements

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H360D May damage the unborn child.
H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.
P260 Do not breathe vapours.
P280 Wear protective gloves.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a doctor.

Supplemental information

Restricted to professional users.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023
Revision date 22nd August 20

Revision date 22nd August 2025 Version 3.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 602-006-00-4 CAS: 67-66-3 EC: 200-663-8 Registration number: 01-2119486657-20- 0005	chloroform	55-57	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331 STOT SE 3, H336 Carc. 2, H351 Repr. 2, H361d STOT RE 1, H372	4, 5
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6 Registration number: 01-2119433307-44- xxxx	methanol	30	Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: $3 \% \le C < 10 \%$	4, 5
Index: 613-319-00-0 CAS: 288-32-4 EC: 206-019-2	imidazole	6-7	Acute Tox. 4, H302 Skin Corr. 1C, H314 Repr. 1B, H360D	5
Index: 016-011-00-9 CAS: 7446-09-5 EC: 231-195-2	sulphur dioxide	5-6	Press. Gas (compressed gas), H280 Skin Corr. 1B, H314 Acute Tox. 3, H331 STOT SE 1, H370 (respiratory tract) (inhalation)	2, 3, 4
Index: 053-002-01-6 Registration number: 01-2120829983-41- xxxx	hydriodic acid %	1	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Skin Corr. 1B, H314: $C \ge 25$ % Skin Irrit. 2, H315: 10 % $\le C < 25$ % Eye Irrit. 2, H319: 10 % $\le C < 25$ %	1

Notes

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 2025

ion

2 Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- 3 Note 5: The concentration limits for gaseous mixtures are expressed as volume per volume percentage.
- 4 A substance for which exposure limits are set.
- 5 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. DO NOT INDUCE VOMITING! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system. Cough, headache. May cause drowsiness or dizziness.

If on skin

Causes severe skin burns.

If in eves

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



	SAFETY	DATA SHEET				
	according to Regulation (EC)	No 1907/2006 (REACH) a	as amended			
	Aquatitron PF					
Creation date	19th July 2023					
Revision date	22nd August 2025	Version	3.0			

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Obtain special instructions before use. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a wellventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available



	SAFETY	DATA SHEET				
	according to Regulation (EC)	No 1907/2006 (REACH) a	as amended			
	Aquatitron PF					
Creation date Revision date	19th July 2023 22nd August 2025	Version	3.0			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive (EU) 2017/164

Substance name (component)	Туре	Value
	OEL 8 hours	1,3 mg/m ³
culphur diavida (CAS), 7446, 00 E)	OEL 8 hours	0,5 ppm
sulphur dioxide (CAS: 7446-09-5)	OEL 15 minutes	2,7 mg/m ³
	OEL 15 minutes	1 ppm

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
chloroform (CAS, 67, 66, 3)	OEL 8 hours	10 mg/m ³
chloroform (CAS: 67–66–3)	OEL 8 hours	2 ppm

Notes Skin.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
methanol (CAS) 67 E6 1)	OEL 8 hours	260 mg/m ³
methanol (CAS: 67–56–1)	OEL 8 hours	200 ppm

Notes Skin.

DNEL

chloroform						
Workers / consumers	Route of exposure	Value	Effect			
Workers	Inhalation	333 mg/m ³	Acute effects systemic			
Workers	Inhalation	2.5 mg/m ³	Chronic effects systemic			
Workers	Dermal	0.94 mg/kg bw/day	Chronic effects systemic			
Consumers	Inhalation	0.18 mg/m ³	Chronic effects systemic			

PNEC

chloroform				
Route of exposure	Value			
Drinking water	0.146 mg/l			
Marine water	0.015 mg/l			
Freshwater sediment	0.45 mg/kg			
Sea sediments	0.09 mg/kg			
Soil (agricultural)	0.56 mg/kg			
Microorganisms in sewage treatment	0.048 mg/l			



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 202

22nd August 2025 Version 3.0

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest

Eye/face protection





Protective goggles or face shield (based on the nature of the work performed).

Skin protection







Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. When selecting gloves, consider the properties of the product and the duration of exposure. Replace gloves at the first signs of wear or damage. Other protection: Protective antistatic clothing made of natural fibres (cotton) or synthetic fibres resistant to elevated temperatures. Antistatic footwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class	Exposure time
Nitrile (NBR)	≥ 0.3 mm	>30 min	2	Short-term
Nitrile (NBR)	≥ 0.7 mm	>480 min	6	Repeated, Long-term

Respiratory protection

Respirator.

Thermal hazard

Not available.

Physical state

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Filysical state	iiquiu
Colour	colorless to yellowish
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
methanol (CAS: 67-56-1)	inflammable
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available

7/15



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023

Revision date 22nd August 2025 Version 3.0

Density and/or relative density

Relative vapour density

Particle characteristics

data not available
data not available
data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

chloroform							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD ₅₀	OECD 401	908 mg/kg		Rat		
Inhalation			10.5 mg/l	4 hours	Rat		
Skin	LD50		1800 mg/kg		Rat		

methanol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50		100.1 mg/kg		Rat		
Dermal	LD50		300.1 mg/kg		Rat		
Inhalation (vapor)	LC50		3.1 mg/l	4 hours	Rat		

Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage. Data for the components of the mixture are not available.



SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended					
	Aqu	atitron PF				
Creation date	19th July 2023					
Revision date	22nd August 2025	Version	3.0			

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Suspected of causing cancer. Data for the components of the mixture are not available.

Reproductive toxicity

May damage the unborn child. Data for the components of the mixture are not available.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness. Causes damage to organs. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Data for the components of the mixture are not available.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

chloroform	chloroform							
Parameter	Value	Exposure time	Species	Environment				
LC50	18 mg/l	96 hours	Fish (Oncorhynchus mykiss)					
EC50	152.5 mg/l	48 hours	Daphnia (Crassostrea gigas)					
ErC50	13.3 mg/l	72 hours	Algae (Chlamydomonas)					
EC50	0.48 mg/l	24 hours	Bacteria (Nitrosomonas)					

methanol							
Parameter	Value	Exposure time	Species	Environment			
LC50	15400 mg/l	96 hours	Fish (Lepomis macrochirus)				



SAFETY DATA SHEET						
	according to Regulation (EC)	No 1907/2006 (REACH)	as amended			
	Aqu	atitron PF				
Creation date Revision date	19th July 2023 22nd August 2025	Version	3.0			

methanol	methanol						
Parameter	Value	Exposure time	Species	Environment			
EC50	>10 000 mg/kg	48 hours	Daphnia (Daphnia magna)				

12.2. Persistence and degradability

Data for the mixture are not available.

Biodegradability

chloroform							
Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301C	0 %	14 days		Hardly biodegradable		

methanol						
Parameter	Method	Value	Exposure time	Environment	Result	
	OECD 301D	99 %		Fresh water	Easily biodegradable	

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1992

14.2. UN proper shipping name

FLAMMABLE LIQUID, TOXIC, N.O.S. (contains chloroform, methanol, imidazol, sulfur dioxide)



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 2025

Version 3.0

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

П

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs

336 1992 FT1



Tunnel restriction code (D/E)

Air transport - ICAO/IATA

Packaging instructions passenger 352
Cargo packaging instructions 364

Marine transport - IMDG

EmS (emergency plan) F-E, S-D MFAG 310

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



SAFETY DATA SHEET						
	according to Regulation (EC)	No 1907/2006 (REACH) a	as amended			
	Aqu	atitron PF				
Creation date	19th July 2023					
Revision date	22nd August 2025	Version	3.0			

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

chloroform

Restriction	Conditions of restriction
32	 Shall not be placed on the market, or used, as substances, as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight, where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows: "For use in industrial installations only".
	By way of derogation this provision shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC.

imidazole

Restriction	Conditions of restriction
30	1. Shall not be placed on the market, or used,
	— as substances,
	— as constituents of other substances, or,
	— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	 motor fuels which are covered by Directive 98/70/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' points covered by Regulation (EC) No. 1272 (2008).
	(d) artists' paints covered by Regulation (EC) No 1272/2008;(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
	(f) devices covered by Regulation (EU) 2017/745.

methanol

medianor	
Restriction	Conditions of restriction
69	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or
	defrosting fluids, in a concentration equal to or greater than 0.6 % by weight.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 2025

Version 3.0

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H360D May damage the unborn child.

H361d Suspected of damaging the unborn child.

H370 Causes damage to the respiratory tract if inhaled.

H370 Causes damage to organs. H371 May cause damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.
P260 Do not breathe vapours.
P280 Wear protective gloves.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR Agreement concerning the international carriage of dangerous goods by road

Aquatic Chronic Hazardous to the aquatic environment (chronic)

BCF Bioconcentration Factor

Carc. Carcinogenicity

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Aquatitron PF

Creation date 19th July 2023 Revision date 22nd August 2025

Version

3.0

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency Response Procedures for Ships Carrying Dangerous Goods

EU European Union

EuPCS European Product Categorisation System

Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

Met. Corr. Corrosive to metals

OEL Occupational Exposure Limits

PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million
Press. Gas Gases under pressure

Press. Gas (Comp.)

Gas under pressure: compressed gas

Press. Gas (Diss.)

Gas under pressure: dissolved gas

Press. Gas (Liq.)

Gas under pressure: liquefied gas

Press. Gas (Ref. Liq.) Gas under pressure: refrigerated liquefied gas

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Repr. Reproductive toxicity

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

Skin Corr. Skin corrosion
Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

UN number Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet



SAFETY DATA SHEET						
	according to Regulation (EC)	No 1907/2006 (REACH)	as amended			
	Aqu	atitron PF				
Creation date	19th July 2023					
Revision date	22nd August 2025	Version	3.0			

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from Wednesday, 28 February 2024. Changes were made in sections 2, 11, 12, 13 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.