

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance / mixture

Other mixture names

Collodion flexible USP 32

Collodion flexible USP 32

mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

medicine, pharmacy Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name

Address

Identification number (CRN)

VAT Reg No

Phone

E-mail

Web address

Ing. Petr Švec - PENTA s.r.o.

Radiová 1122/1, Praha 10, 102 00

Czech Republic

02096013

CZ02096013

+420 226 060 681

info@pentachemicals.eu

www.pentachemicals.eu

Competent person responsible for the safety data sheet

Name

E-mail

Penta s.r.o. - Ing. Doudová Jolana

doudova@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 1, H224

Acute Tox. 4, H302

Eye Irrit. 2, H319

STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable liquid and vapour.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Harmful if swallowed. Causes serious eye irritation.

2.2. Label elements

Hazard pictogram



Signal word

Danger

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

Hazardous substances

diethyl ether
ethanol
Nitrocellulose (nitrogen content up to 12,6) wetted with ethanol
Castor oil
Camphor

Hazard statements

H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P403+P235	Store in a well-ventilated place. Keep cool.

Supplemental information

EUH019	May form explosive peroxides.
--------	-------------------------------

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-022-00-4 CAS: 60-29-7 EC: 200-467-2 Registration number: 01-2119535785-29-0001	diethyl ether	65	Flam. Liq. 1, H224 Acute Tox. 4, H302 STOT SE 3, H336 EUH019	1
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457-610-43-xxxx	ethanol	<24	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
CAS: 9004-70-0	Nitrocellulose (nitrogen content up to 12,6) wetted with ethanol	<8	Flam. Sol. 1, H228	
CAS: 8001-79-4 EC: 232-293-8	Castor oil	<3	not classified as dangerous	
CAS: 76-22-2 EC: 244-350-4	Camphor	<2	Flam. Sol. 2, H228 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

Notes

- 1 A substance for which exposure limits are set.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Storage temperature max. 15 °C

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
diethyl ether (CAS: 60-29-7)	OEL 8 hours	308 mg/m ³
	OEL 8 hours	100 ppm
	OEL 15 minutes	616 mg/m ³
	OEL 15 minutes	200 ppm

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves (Viton). Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	34 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	-40 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.777 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Harmful if swallowed.

Camphor					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	

diethyl ether					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	1211 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	
Inhalation (vapor)	LC ₅₀	31000 ppm	30 minutes	Mouse	

ethanol					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	13300 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	>15800 mg/kg		Rabbit	
Inhalation (vapor)	LC ₅₀	124.7 mg/l	4 hours	Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Corrosivity

ethanol			
Route of exposure	Result	Exposure time	Species
	No effect		Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 29th June 2023

Version

4.0

Serious eye damage/irritation

Causes serious eye irritation.

ethanol			
Route of exposure	Result	Exposure time	Species
	Irritating		Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

ethanol				
Route of exposure	Result	Exposure time	Species	Sex
	Indeterminate		Human	

Germ cell mutagenicity

Based on available data the classification criteria are not met.

ethanol				
Result	Exposure time	Specific target organ	Species	Sex
Indeterminate				

Carcinogenicity

Based on available data the classification criteria are not met.

ethanol					
Route of exposure	Parameter	Value	Result	Species	Sex
Oral			Indeterminate	Rat (Rattus norvegicus)	

Reproductive toxicity

Based on available data the classification criteria are not met.

ethanol						
Effect	Parameter	Value	Exposure time	Result	Species	Sex
Developmental toxicity	NOAEL	38 mg/l		Negative	Rat (Rattus norvegicus)	
	NOAEL	5200 mg/kg	24 hours	Indeterminate	Rat (Rattus norvegicus)	

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

ethanol							
Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 minutes	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information**12.1. Toxicity**

not available

Acute toxicity**diethyl ether**

Parameter	Value	Exposure time	Species	Environment	Value determination
LC ₅₀	2560 mg/l	96 hours	Fish		
EC ₅₀	165 mg/l	24 hours	Daphnia (Daphnia magna)		
IC ₅₀	>100 mg/l	72 hours	Algae		

ethanol

Parameter	Value	Exposure time	Species	Environment	Value determination
EC ₅₀	42 mg/l	96 hours	Fish		Experimentally
EC ₅₀	5012 mg/l	48 hours	Daphnia		Experimentally
NOEC	<500 mg/l	96 hours	Algae		Experimentally

Nitrocellulose (nitrogen content up to 12,6) wetted with ethanol

Parameter	Value	Exposure time	Species	Environment	Value determination
LC ₅₀	>5000 mg/l	96 hours	Fish (Brochydemic rerio)		
EC ₅₀	>10000 mg/l	48 hours	Daphnia (Daphnia magna)		
IC ₅₀	>10000 mg/l	72 hours	Algae		

Chronic toxicity**diethyl ether**

Parameter	Value	Exposure time	Species	Environment
	>100 mg/l	21 days	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1263

14.2. UN proper shipping name

PAINT

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

I - substances presenting high danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs

33
1263

F1

3



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

Air transport - ICAO/IATA

Packaging instructions passenger	351
Cargo packaging instructions	361

Marine transport - IMDG

EmS (emergency plan)	F-E, S-E
MFAG	310

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P403+P235	Store in a well-ventilated place. Keep cool.

A list of additional standard phrases used in the safety data sheet

EUH019	May form explosive peroxides.
--------	-------------------------------

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 04 May 2023. Changes were made in sections 2, 7 and 16.

More information

Classification procedure - calculation method.

Statement

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date	02nd September 2020	Version	4.0
Revision date	29th June 2023		

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.