

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Collodion flexible USP 32

Substance / mixture mixture

Other mixture names

Collodion flexible USP 32

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

medicine, pharmacy Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Penta s.r.o. - Ing. Doudová Jolana E-mail doudova@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 1, H224 Acute Tox. 4, H302 Eye Irrit. 2, H319 STOT SE 3, H336

Most serious adverse physico-chemical effects

Extremely flammable liquid and vapour.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Harmful if swallowed. Causes serious eye irritation.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

diethyl ether Camphor



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

Hazard statements

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P243 Take action to prevent static discharges. P403+P235 Store in a well-ventilated place. Keep cool.

Supplemental information

EUH019 May form explosive peroxides.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-022-00-4 CAS: 60-29-7 EC: 200-467-2 Registration number: 01-2119535785-29- 0001	diethyl ether	65	Flam. Liq. 1, H224 Acute Tox. 4, H302 STOT SE 3, H336 EUH019	1
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457-610-43- xxxx	ethanol	<24	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
CAS: 76-22-2 EC: 244-350-4	Camphor	<2	Flam. Sol. 2, H228 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause drowsiness or dizziness.

If on skin

Not expected.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.



SAFETY DATA SHEET							
	according to Regulation (EC) No 1907/2006 (REACH) as amended						
Collodion flexible USP 32							
Creation date	02nd September 2020						
Revision date	28th March 2025	Version	6.0				

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Storage temperature

max.15 °C

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
	OEL 8 hours	308 mg/m ³
diathyl other (CAS, 60, 20, 7)	OEL 8 hours	100 ppm
diethyl ether (CAS: 60–29–7)	OEL 15 minutes	616 mg/m ³
	OEL 15 minutes	200 ppm

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves (Viton). Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateliquidColourcolourlessOdourcharacteristicMelting point/freezing pointdata not available

Boiling point or initial boiling point and boiling range 34 °C

Flammability data not available Lower and upper explosion limit data not available

Flash point -40 °C

Auto-ignition temperature data not available Decomposition temperature data not available pH data not available Kinematic viscosity data not available Solubility in water data not available Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 0.777 g/cm³ at 20 °C Relative vapour density data not available Particle characteristics data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Collodion flexible USP 32 Creation date 02nd September 2020 Revision date 28th March 2025 Version 6.0

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Harmful if swallowed.

Harmful if swallowe	ed.					
Collodion flexible	USP 32					
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	1734 mg/kg				Calculation of value
Camphor						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	>5000 mg/kg		Rat		
diethyl ether						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	1211 mg/kg		Rat (Rattus		

dietityl ether						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	1211 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD50	>2000 mg/kg		Rabbit		
Inhalation (vapor)	LC50	31000 ppm	30 minutes	Mouse		

ethanol	ethanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	
Oral	LD50	13300 mg/kg		Rat (Rattus norvegicus)			
Dermal	LD50	>15800 mg/kg		Rabbit			
Inhalation (vapor)	LC50	124.7 mg/l	4 hours	Rat (Rattus norvegicus)			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Corrosivity

ethanol				
Route of exposure	Result	Exposure time	Species	
	No effect		Rabbit	

Serious eye damage/irritation

Causes serious eye irritation.

ethanol					
Route of exposure	Result	Exposure time	Species		
	Irritating		Rabbit		



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Collodion flexible USP 32 Creation date 02nd September 2020 Revision date 28th March 2025 Version 6.0

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

ethanol						
Route of exposure	Result	Exposure time	Species	Sex		
	Indeterminate		Human			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

ethanol						
Result	Exposure time	Specific target organ	Species	Sex		
Indeterminate						

Carcinogenicity

Based on available data the classification criteria are not met.

ethanol						
Route of exposure	Parameter	Value	Result	Species	Sex	
Oral			Indeterminate	Rat (Rattus norvegicus)		

Reproductive toxicity

Based on available data the classification criteria are not met.

ethanol	ethanol							
Effect	Parameter	Value	Exposure time	Result	Species	Sex		
Developmental toxicity	NOAEL	38 mg/l		Negative	Rat (Rattus norvegicus)			
	NOAEL	5200 mg/kg	24 hours	Indeterminate	Rat (Rattus norvegicus)			

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

ethanol							
Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 minutes	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

diethyl ether						
Parameter	Value	Exposure time	Species	Environment	Value determination	
LC50	2560 mg/l	96 hours	Fish			
EC50	165 mg/l	24 hours	Daphnia (Daphnia magna)			
IC50	>100 mg/l	72 hours	Algae			

ethanol						
Parameter	Value	Exposure time	Species	Environment	Value determination	
EC50	42 mg/l	96 hours	Fish		Experimentally	
EC50	5012 mg/l	48 hours	Daphnia		Experimentally	
NOEC	<500 mg/l	96 hours	Algae		Experimentally	

Chronic toxicity

diethyl ether						
Parameter	Value	Exposure time	Species	Environment		
	>100 mg/l	21 days	Daphnia (Daphnia magna)			

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1263

14.2. UN proper shipping name

PAINT

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

Ι

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No. UN number Classification code

Safety signs



F1



Tunnel restriction code (D/E)

Air transport - ICAO/IATA

Packaging instructions passenger 351 Cargo packaging instructions 361

Marine transport - IMDG

EmS (emergency plan) F-E, S-E MFAG 310



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020

Revision date 28th March 2025 Version 6.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH019 May form explosive peroxides.
H224 Extremely flammable liquid and vapour.
H225 Highly flammable liquid and vapour.

H228 Flammable solid.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P243 Take action to prevent static discharges.
P403+P235 Store in a well-ventilated place. Keep cool.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Flam. Sol. Flammable solid

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50 Concentration causing 50% blockade



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Collodion flexible USP 32

Creation date 02nd September 2020 Revision date 28th March 2025 Version 6.0

International Civil Aviation Organization **ICAO IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients IS₀ International Organization for Standardization TUPAC International Union of Pure and Applied Chemistry

Lethal concentration of a substance in which it can be expected death of 50% of the LC50

population

LD₅₀ Lethal dose of a substance in which it can be expected death of 50% of the

population

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient NOAEL No observed adverse effect level NOEC No observed effect concentration OEL Occupational Exposure Limits **PBT**

Persistent, bioaccumulative and toxic PMT Persistent, mobile and toxic

Parts per million ppm

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

Skin Irrit.

STOT SE Specific target organ toxicity - single exposure

Four-figure identification number of the substance or article taken from the UN UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvMVery persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from Thursday, 21 December 2023. Changes were made in sections 2, 11, 12, 13 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.