SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019

Revision date 29th May 2023 Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier Formaldehyde solution 3% in water

Substance / mixture

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o. Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN) 02096013 CZ02096013 VAT Reg No Phone +420 226 060 681 E-mail info@pentachemicals.eu Web address www.pentachemicals.eu

Competent person responsible for the safety data sheet

Ing. Petr Švec - PENTA s.r.o. Name info@pentachemicals.eu F-mail

1.4. **Emergency telephone number**

European emergency number: 112 112

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317 Acute Tox. 4, H332 Muta. 2, H341 Carc. 1B, H350

Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Harmful if inhaled. Harmful to aquatic life with long lasting effects.

2.2. **Label elements**

Hazard pictogram





Signal word

Danger

Hazardous substances

formaldehyde ...%



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019

Revision date 29th May 2023 Version 5.0

Hazard statements

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Supplemental information

Restricted to professional users.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 605-001-00-5 CAS: 50-00-0 EC: 200-001-8 Registration number: 01-2119488953-20- xxxx	formaldehyde%	3	Acute Tox. 3, H301+H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 STOT SE 3, H335 Muta. 2, H341 Carc. 1B, H350 Specific concentration limit: Skin Corr. 1B, H314: $C \ge 25\%$ Skin Irrit. 2, H315: $C \ge 0.2\%$ Skin Sens. 1, H317: $C \ge 0.2\%$ Eye Irrit. 2, H319: $C \ge 0.2\%$ STOT SE 3, H335: $C \ge 5\%$	1, 2, 4
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6 Registration number: 01-2119433307-44- xxxx	methanol	0,48-0,8	Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: $3 \% \le C < 10 \%$	3, 4

Notes

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.



SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended					
Formaldehyde solution 3% in water						
Creation date	Creation date 02nd September 2019					
Revision date	29th May 2023	Version	5.0			

- 2 Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".
- 3 A substance for which exposure limits are set.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

Rinse out the mouth with clean water. Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.



SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended					
Formaldehyde solution 3% in water						
Creation date	Creation date 02nd September 2019					
Revision date	29th May 2023	Version	5.0			

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed. Store at temperatures above $14\,^{\circ}$ C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission	Directive	2006	/15/EC
------------	-----------	------	--------

Substance name (component)	Type	Value	Note
mothanol (CAC) 67 F6 1)	OEL 8 hours	260 mg/m ³	Skin
methanol (CAS: 67-56-1)	OEL 8 hours	200 ppm	SKIII

DNEL

formaldehyde%						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Workers	Dermal	240 mg/kg	Chronic effects systemic			
Workers	Inhalation	9 mg/m ³	Chronic effects systemic			
Workers	Inhalation	0.375 mg/m³	Acute effects systemic			
Consumers	Inhalation	3.2 mg/kg	Chronic effects systemic			



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019

Revision date 29th May 2023 Version 5.0

formaldehyde%						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Consumers	Dermal	102 mg/kg	Chronic effects systemic			
Consumers	Oral	4.1 mg/kg	Chronic effects systemic			

PNEC

formaldehyde%					
Route of exposure	Value	Value determination	Source		
Marine water	0.44 mg/l				
Soil (agricultural)	0.21 mg/l				
Drinking water	0.47 mg/l				

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed. Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

liquid

Thermal hazard

Not available.

Physical state

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour colourless Odour acrid Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available data not available Kinematic viscosity data not available

Solubility in water miscible

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1.004 g/cm³ at 20 °C



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019

Revision date 29th May 2023 Version 5.0

Relative vapour density data not available Particle characteristics data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Harmful if inhaled.

formaldehyde%						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Dermal	LD50	270 mg/kg		Rabbit		Literary studies
Inhalation (vapor)	LC ₅₀	0.578 mg/kg	4 hours	Rat		Literary studies

methanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD50	100.1 mg/kg		Rat		
Dermal	LD50	300.1 mg/kg		Rat		
Inhalation (vapor)	LC50	3.1 mg/l	4 hours	Rat		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019

Revision date 29th May 2023 Version 5.0

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

formaldehyde%					
Parameter	Value	Exposure time	Species	Environment	
LC50	6.7 mg/kg	96 hours	Fish (Morone saxatilis)		
EC50	5.8 mg/l	48 hours	Daphnia (Daphnia pulex)		
IC50	2.5 mg/l	72 hours	Algae (Scenedesmus subspicatus)		

methanol					
Parameter	Value	Exposure time	Species	Environment	
LC50	15400 mg/l	96 hours	Fish (Lepomis macrochirus)		
EC50	>10 000 mg/kg	48 hours	Daphnia (Daphnia magna)		

12.2. Persistence and degradability

not available

Biodegradability

methanol					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301D	99 %		Fresh water	Easily biodegradable

12.3. Bioaccumulative potential



5.0

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Formaldehyde solution 3% in water Creation date 02nd September 2019

Not available.

12.4. Mobility in soil

Revision date

Not available.

12.5. Results of PBT and vPvB assessment

29th May 2023

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

Version

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



SAFETY DATA SHEET					
according to Regulation (EC) No 1907/2006 (REACH) as amended					
Formaldehyde solution 3% in water					
Creation date 02nd September 2019					
Revision date	29th May 2023	Version	5.0		

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

formaldehyde ...%

formaldehyde	%
Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	 either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008;
	 (d) artists paints covered by Regulation (EC) No 12/2/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.



	SAFETY	DATA SHEET			
according to Regulation (EC) No 1907/2006 (REACH) as amended					
Formaldehyde solution 3% in water					
Creation date	02nd September 2019				
Revision date	29th May 2023	Version	5.0		

formaldehyde	%
Restriction	Conditions of restriction
72	1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories; (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing; (c) footwear;
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
	2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
	3. Paragraph 1 shall not apply to: (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide; (b) non-textile fasteners and non-textile decorative attachments; (c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
	4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).
	5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
	6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
	7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
	(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
	(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

methanol

Restriction	Conditions of restriction
	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.
	dell'osting ridids, in a concentration equal to or greater than 0,0 % by weight.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk	phrases used in t	the safety data sheet
-------------------------	-------------------	-----------------------

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns and eve damage



H315

Safety data sheet

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date	02nd September 2019		
Revision date	29th May 2023	Version	5.0

11313	Caases skin irreacion.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.
H371	May cause damage to organs.
H412	Harmful to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.

Causes skin irritation.

Guidelines for safe handling used in the safety data sheet

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P308+P313 IF exposed or concerned: Get medical advice/attention.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	Furonean agreement co	ncerning the international	carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System
IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50 Concentration causing 50% blockade
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Formaldehyde solution 3% in water

Creation date 02nd September 2019 Revision date 29th May 2023

Version 5.0

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Carc Carcinogenicity Eye Dam. Serious eye damage Flam. Liq. Flammable liquid Muta. Germ cell mutagenicity

Skin Corr. Skin corrosion Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 29 November 2022. Changes were made in sections 2, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page