

# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** Hydrofluoric acid solution 3-5% in water

Substance / mixture mixture

UFI A8TP-U13P-H00T-DQ4N

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

## 1.4. Emergency telephone number

European emergency number: 112 112

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Acute Tox. 3, H301+H331 Acute Tox. 2, H310 Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal in contact with skin. Toxic if swallowed or if inhaled.

## 2.2. Label elements

## **Hazard pictogram**





## Signal word

Danger

#### **Hazardous substances**

hydrofluoric acid ... %



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

**Hazard statements** 

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H301+H331 Toxic if swallowed or if inhaled.

**Precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a doctor.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 009-003-00-1 CAS: 7664-39-3 EC: 231-634-8 Registration number: 01-2119458860-33- xxxx	hydrofluoric acid %	3-5	Acute Tox. 2, H300+H330 Acute Tox. 1, H310 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 7$ % Eye Irrit. 2, H319: $0.1$ % $\le C < 1$ % Skin Corr. 1B, H314: $1$ % $\le C < 7$ %	1, 2

#### **Notes**

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Administer calcium and magnesium compounds. Provide medical treatment.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause corrosion of the breathing system.

#### If on skin

Causes severe skin burns.

## If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

### Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

# 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

## 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Belgium

### Royal Decree of 12 JANUARY 2020

Substance name (component)	Type	Value	Note
hydrofluoric acid % (CAS: 7664-39-3)	8h	1,5 mg/m³	The indication "M" indicates that irritation occurs when the exposure exceeds the limit value or there is a risk of acute poison ing. The working process must be designed so that the exposure never exceeds the limit value. With a
	8h	1,8 ppm	check, the sampled period must be as short as possible in order to be able to perform a reliable measurement. the measurement result is then related to the considered period.



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### **Belgium**

## Royal Decree of 12 JANUARY 2020

Beigium Royal Decree of 12 Januar				
Substance name (component)	Туре	Value	Note	
hydrofluoric acid % (CAS: 7664-39-3)	Short time value	2,5 mg/m³	The indication "M" indicates that irritation occurs when the exposure exceeds the limit value or there is a risk of acute poison ing. The working process must be designed so that the exposure never exceeds the limit value. With a	
Tryaronaone dela 76 (cr. cr. 766 r 35 3)	Short time value	3 ppm	check, the sampled period must be as short as possible in order to be able to perform a reliable measurement. the measurement result is then related to the considered period.	

## **European Union**

## Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	1,5 mg/m <sup>3</sup>	
	OEL 8 hours	1,8 ppm	
hydrofluoric acid % (CAS: 7664-39-3)	OEL 15 minutes	2,5 mg/m <sup>3</sup>	
	OEL 15 minutes	3 ppm	

## DNEL

hydrofluoric acid %						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Workers	Inhalation	2.5 mg/m <sup>3</sup>	Acute effects systemic			
Workers	Inhalation	1.5 mg/m <sup>3</sup>	Chronic effects systemic			



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### **PNEC**

hydrofluoric acid %					
Route of exposure	Value	Value determination	Source		
Soil (agricultural)	11 mg/kg				
Microorganisms in sewage treatment	51 mg/l				
Marine water	0.9 mg/l				
Drinking water	0.9 mg/l				

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

### Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Respirator. Mask with type E filter against acid vapors. Use insulating breathing apparatus when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

#### Thermal hazard

Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colorless to yellowish
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	non-inflammable
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.016 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available

Form liquid



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### 9.2. Other information

Oxidising properties The product has no oxidizing properties.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not available

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

## 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

## **Acute toxicity**

Fatal in contact with skin. Toxic if swallowed or if inhaled.

hydrofluoric acid %					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	12.5 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	12.5 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	1.25 mg/l		Mouse	

#### Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

## Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

## Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

## **Acute toxicity**

hydrofluoric acid %						
Parameter	Value	Exposure time	Species	Environment		
EC50	10.5 mg/l		Daphnia (Daphnia magna)			
IC50	43 mg/l	96 hours	Algae (Selenastrum capricornutum)			

#### 12.2. Persistence and degradability

No data are available for either the mixture or the components.

# 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

# 12.4. Mobility in soil

No data are available for either the mixture or the components.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

14.1. UN number or ID number

UN 1790

14.2. UN proper shipping name

HYDROFLUORIC ACID

14.3. Transport hazard class(es)

3 Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **Additional information**

Hazard identification No. UN number Classification code Safety signs



8+6.1





# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

## A list of standard risk phrases used in the safety data sheet

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H300+H330 Fatal if swallowed or if inhaled. H301+H331 Toxic if swallowed or if inhaled Guidelines for safe handling used in the safety data sheet

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a doctor. P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

European agreement concerning the international carriage of dangerous goods by

road

**BCF** Bioconcentration Factor CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population **EINECS** European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

**EuPCS** European Product Categorisation System International Air Transport Association TATA

International Code For The Construction And Equipment of Ships Carrying TBC

**Dangerous Chemicals** 

IC50 Concentration causing 50% blockade **ICAO** International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization **IUPAC** International Union of Pure and Applied Chemistry

I C50 Lethal concentration of a substance in which it can be expected death of 50% of the

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient OEL Occupational Exposure Limits PBT Persistent, Bioaccumulative and Toxic



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Hydrofluoric acid solution 3-5% in water

Creation date 29th August 2023

Revision date Version 1.0

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
Skin Corr. Skin corrosion

## **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## **More information**

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.