

	SAFET	Y DATA SHEET				
	according to Regulation ((EC) No 1907/2006 (REACH) as amended				
		nol solution 60% in water				
	on date 23rd February 2023					
Revisio	on date	Version 1.0				
SECTI	ON 1: Identification of the substance/mixtu	ure and of the company/undertaking				
1.1.	Product identifier	Isopropyl alcohol solution 60% in water				
	Substance / mixture	mixture				
1.2.	Relevant identified uses of the substance	or mixture and uses advised against				
	Mixture's intended use					
	Chemical production, analytical chemistry, labor	oratory synthesis, industrial applications.				
	Mixture uses advised against					
	The product should not be used in ways other					
1.3.	Details of the supplier of the safety data sheet					
	Supplier	v				
	Name or trade name	Ing. Petr Švec - PENTA s.r.o.				
	Address	Radiová 1122/1, Praha 10, 102 00				
		Czech Republic				
	Identification number (CRN)	02096013				
	VAT Reg No	CZ02096013				
	Phone	+420 226 060 681				
	E-mail	info@pentachemicals.eu				
	Web address	www.pentachemicals.eu				
	Competent person responsible for the safe					
	Name	Ing. Petr Švec - PENTA s.r.o.				
1.4.	E-mail	info@pentachemicals.eu				
1.4.	Emergency telephone number					
	European emergency number: 112					
SECTI	ON 2: Hazards identification					
2.1.	Classification of the substance or mixture					
	Classification of the mixture in accordance	e with Regulation (EC) No 1272/2008				
	The mixture is classified as dangerous.					
	Flam. Liq. 2, H225					
	Eye Irrit. 2, H319					
	STOT SE 3, H336					
	Most serious adverse physico-chemical eff	fects				
	Highly flammable liquid and vapour.					

Highly flammable liquid and vapour. **Most serious adverse effects on human health and the environment** Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Hazard pictogram



Signal word	
Danger	
Hazardous substances	
propan-2-ol	
Hazard statements	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.



	SAFETY	DATA SHEET		
	according to Regulation (EC) No 1907/2006 (REACH) a	as amended	
	[sopropyl alcohol	solution 60% i	n water	
Creation date	23rd February 2023			
Revision date		Version	1.0	
Precautionary state P210 P233		heat, hot surfaces, sparks,	open flames and other ign	ition sources.
P305+P351+P338	IF IN EYES: Rinse	and easy to do. Continue		contact
Supplemental inform EUH019	mation May form explosiv	ve peroxides.		
2.3. Other hazards				
The mixture does not	contain substances with en	docrine disrupting propert	ies in accordance with the	criteria set ou

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- 0000	propan-2-ol		Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.



	SAFETY DATA SHEET
	according to Regulation (EC) No 1907/2006 (REACH) as amended
	Isopropyl alcohol solution 60% in water
	on date 23rd February 2023 on date Version 1.0
4.2.	Most important symptoms and effects, both acute and delayedIf inhaledMay cause drowsiness or dizziness.If on skinNot expected.If in eyesCauses serious eye irritation.If swallowedIrritation, nausea.
4.3.	Indication of any immediate medical attention and special treatment needed Symptomatic treatment.
SECT: 5.1.	ON 5: Firefighting measures Extinguishing media
	Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol solution 60% in water

Creation date	23rd February 2023		
Revision date	,	Version	1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product (butyl rubber, nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	containing alcohol
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol solution 60% in water

	on date 23rd February 2023	Varsian	1.0	
Revisi	on date	Version	1.0	
	pH	data not available		
	Kinematic viscosity	data not available		
	Solubility in water	soluble		
	Partition coefficient n-octanol/water (log value)	data not available		
	Vapour pressure	4.3 kPa at 20 °C		
	Density and/or relative density			
	Density	0.886-0.902 g/cm	1 ³ at 20 °C	
	Relative vapour density	data not available		
	Particle characteristics	data not available		
9.2.	Other information			
	not available			

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

propan-2-ol	ropan-2-ol						
Route of exposure	Parameter	Value Exposure time		Species	Sex		
Oral	LD50	>2000 mg/kg		Rat			
Inhalation (vapor)	LC50	>5 mg/kg	4 hours	Rat			
Oral	LD50	4710 mg/kg		Rat			
Inhalation (vapor)	LC50	72.6 mg/l	4 hours	Rat			
Dermal	LD50	12870 mg/kg		Rabbit			
Dermal	LD50	>2000 mg/kg		Rat			

Skin corrosion/irritation

Based on available data the classification criteria are not met.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol solution 60% in water

Creation date	23rd February 2023		
Revision date	Version	1.0	

Serious eye damage/irritation

Causes serious eye irritation.

propan-2-ol							
Route of exposure	Result	Exposure time	Species				
	Highly irritating		Rabbit				

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

not available

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

propan-2-ol	propan-2-ol							
Route of exposure	Parameter	Value		Specific target organ	Result	Species	Sex	
Inhalation	NOAEL	12.3 mg/l	24 months	Kidney	Indeterminate	Rat		
Inhalation	NOAEL	12 mg/l	13 weeks	Nervous system	Negative	Rat		
Oral	NOAEL	400 mg/kg/24h	12 weeks	Kidney	Indeterminate	Rat		

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

propan-2-oi					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC50	>100 mg/l	96 hours	Fish		
EC50	>100 mg/l	48 hours	Daphnia		
				•	



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Isopropyl alcohol solution 60% in water

23rd February 2023

Creation date Revision date

Version

1.0

propan-2-ol					
Parameter	Value	Exposure time	Species	Environment	Value determination
NOEC	30 mg/l	21 days	Daphnia		Experimentally
EC50	1400 mg/l	48 hours	Crustaceans		Experimentally
EC50	>1000 mg/l	24 hours	Algae		Experimentally
IC50	>100 mg/l	72 hours	Algae		

12.2. Persistence and degradability

not available

Biodegradability

propan-2-ol					
Parameter	Value	Exposure time	Environment	Value determination	Result
		14 days		Experimentally	

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 1219
- 14.2. UN proper shipping name ISOPROPANOL
- 14.3. Transport hazard class(es)
 - 3 Flammable liquids



SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended Isopropyl alcohol solution 60% in water					
	on date 23rd February 2023 on date		1.0			
14.4.	Packing group					
14.5.	Environmental hazards					
14.6.	Special precautions for user Reference in the Sections 4 to 8.					
14.7.	Maritime transport in bulk according to not relevant Additional information Hazard identification No.	IMO instruments				
	UN number Classification code Safety signs	1219 F1 3				
		3				
	Tunnel restriction code	(D/E)				
	Air transport - ICAO/IATA Packaging instructions passenger Cargo packaging instructions Marine transport - IMDG	353 364				
	EmS (emergency plan) MFAG	F-E, S-D 305				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet					
H225	Highly flammable liquid and vapour.				
H319	Causes serious eye irritation.				
H336	May cause drowsiness or dizziness.				
Guidelines for safe handling used in the safety data sheet					
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
P233	Keep container tightly closed.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Isopropyl alcohol solution 60% in water Creation date 23rd February 2023 Revision date Version 1.0 A list of additional standard phrases used in the safety data sheet EUH019 May form explosive peroxides. Other important information about human health protection The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations. Key to abbreviations and acronyms used in the safety data sheet ADR European agreement concerning the international carriage of dangerous goods by road BCF **Bioconcentration Factor** CAS **Chemical Abstracts Service** CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures EC Identification code for each substance listed in EINECS EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances FmS Emergency plan FU **European Union** EuPCS European Product Categorisation System IATA International Air Transport Association IBC International Code For The Construction And Equipment of Ships Carrying **Dangerous** Chemicals IC50 Concentration causing 50% blockade ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods IMO International Maritime Organization INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry LC₅₀ Lethal concentration of a substance in which it can be expected death of 50% of the population LD 50 Lethal dose of a substance in which it can be expected death of 50% of the population log Kow Octanol-water partition coefficient NOAEL No observed adverse effect level NOEC No observed effect concentration OEL **Occupational Exposure Limits** PBT Persistent, Bioaccumulative and Toxic ppm Parts per million Registration, Evaluation, Authorisation and Restriction of Chemicals REACH RID Agreement on the transport of dangerous goods by rail UN Four-figure identification number of the substance or article taken from the UN Model Regulations UVCB Substances of unknown or variable composition, complex reaction products or biological materials VOC Volatile organic compounds vPvB Very Persistent and very Bioaccumulative Eve Irrit. Eye irritation Flam. Liq. Flammable liquid STOT SE Specific target organ toxicity - single exposure **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.



SAFETY DATA SHEET						
according to Regulation (EC) No 1907/2006 (REACH) as amended						
	Isopropyl alcohol	solution 60% i	n water			
Creation date	23rd February 2023					
Revision date	·	Version	1.0			
Recommend	led restrictions of use					
not available						
Information about data sources used to compile the Safety Data Sheet						
REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amen						
	REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data fro					
the manufact	the manufacturer of the substance / mixture, if available - information from registration dossiers.					

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.