

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

Creation date 01st April 2016 Revision date 18th August 2025

Version 9.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Methylalkohol
Substance / mixture substance

Chemical name methanol
CAS number 67-56-1
Index number 603-001-00-X
EC (EINECS) number 200-659-6

Registration number 01-2119433307-44-xxxx

Other substance name

Methanol, alkohol methylnatý, carbinol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Substance uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN) 02096013
VAT number CZ02096013
Phone +420 226 060 681
Email info@pentachemicals.eu
Web address www.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. Email info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Flam. Liq. 2, H225

Acute Tox. 3, H301+H311+H331

STOT SE 1, H370

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

Creation date 01st April 2016 Revision date 18th August 2025

2025 Version 9.0

2.2. Label elements

Hazard pictogram







Signal word

Danger

Dangerous substance

methanol

(Index: 603-001-00-X; CAS: 67-56-1)

Hazard statements

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed. P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing.
P301+P310 IF SWALLOWED: Immediately call a doctor.
P308+P311 IF exposed or concerned: Call a doctor.

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
	substance main component			
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6 Registration number: 01-2119433307-44- xxxx	methanol		Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: $3 \% \le C < 10 \%$	1, 2

Notes

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.



	SAFETY	DATA SHEET		
	according to Regulation (EC) No 1907/2006 (REACH)	as amended	
	Metl	hylalkohol		
Creation date	01st April 2016			
Revision date	18th August 2025	Version	9.0	

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse skin with water or shower.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Vomiting should be induced in the person only if conscious, within 1 hour from ingestion. If in doubt whether vomiting should be induced, contact the Toxicological Information Centre and give information about the substances or composition of the product as provided on the original packaging or in the safety data sheet of the product. FOLLOWING INGESTION OF TOXIC OR HIGHLY TOXIC SUBSTANCES, GIVE 10-20 CRUSHED TABLETS OF ACTIVATED CARBON, MIXED IN WATER, WITHIN NO LATER THAN 5 MINUTES - irrespective of whether vomiting could be induced. Call medical rescue service.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

not available

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.



	SAFETY	DATA SHEET		
	according to Regulation (EC) No 1907/2006 (REACH) a	as amended	
	Metl	hylalkohol		
Creation date	01st April 2016			
Revision date	18th August 2025	Version	9.0	

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. The substance is flammable. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a wellventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Storage class 6.CB

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
methanal (CAS) 67 F6 1)	OEL 8 hours	260 mg/m ³
methanol (CAS: 67–56–1)	OEL 8 hours	200 ppm

Notes

Skin.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

Creation date 01st April 2016 Revision date 18th August 2025

9.0

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Version

Eye/face protection



Protective goggles.

Skin protection







Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Other protection: Protective antistatic clothing made of natural fibres (cotton) or synthetic fibres resistant to elevated temperatures. Antistatic footwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Butyl rubber (IIR)	≥ 0.3 mm	>480 min	6

Respiratory protection

not available

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour colourless

Odour containing alcohol

Melting point/freezing point -98 °C

Roiling point or initial boiling point and boiling range 65 °C

Boiling point or initial boiling point and boiling range 65 °C Flammability Highly flammable liquid and vapour.

methanol (CAS: 67-56-1) inflammable

Lower and upper explosion limit

bottom

upper

5.5 %

44 %

upper 44 %
Flash point 11 °C
Auto-ignition temperature data not available
Decomposition temperature data not available

Decomposition temperature data not available pH data not available Kinematic viscosity data not available Solubility in water data not available Solubility in fats data not available

Partition coefficient n-octanol/water (log value) -0.77 Vapour pressure 128 hPa

Density and/or relative density



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

Creation date 01st April 2016

Revision date 18th August 2025 Version 9.0

Density 0.791 g/cm³
Relative density data not available
Relative vapour density data not available
Particle characteristics data not available

9.2. Other information

Evaporation rate data not available

Ignition temperature 455 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is highly flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance. Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure.

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled.

methanol					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	100.1 mg/kg		Rat	
Dermal	LD ₅₀	300.1 mg/kg		Rat	
Inhalation (vapor)	LC50	3.1 mg/l	4 hours	Rat	

Skin corrosion/irritation

No data available for the substance. Based on available data the classification criteria are not met.

Serious eye damage/irritation

No data available for the substance. Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

No data available for the substance. Based on available data the classification criteria are not met.

Germ cell mutagenicity

No data available for the substance. Based on available data the classification criteria are not met.



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Methylalkohol Creation date 01st April 2016 Revision date 18th August 2025 Version 9.0

Carcinogenicity

No data available for the substance. Based on available data the classification criteria are not met.

Reproductive toxicity

No data available for the substance. Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Causes damage to organs.

Toxicity for specific target organ - repeated exposure

No data available for the substance. Based on available data the classification criteria are not met.

Aspiration hazard

No data available for the substance. Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Based on available data the classification criteria are not met.

Acute toxicity

Methylalkohol				
Parameter	Value	Exposure time	Species	Environment
EC50	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	

methanol				
Parameter	Value	Exposure time	Species	Environment
LC50	15400 mg/l	96 hours	Fish (Lepomis macrochirus)	
EC50	>10 000 mg/kg	48 hours	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

The following data are available.

Biodegradability

Methylalkohol					
Parameter	Method	Value	Exposure time	Environment	Result
					Easily biodegradable



	SAFETY	DATA SHEET		
	according to Regulation (EC)	No 1907/2006 (REACH)	as amended	
	Metl	nylalkohol	_	
Creation date	01st April 2016			
Revision date	18th August 2025	Version	9.0	

methanol					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301D	99 %		Fresh water	Easily biodegradable

12.3. Bioaccumulative potential

No data available for the substance.

12.4. Mobility in soil

Based on available data the classification criteria are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on available data the classification criteria are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1230

14.2. UN proper shipping name

METHANOL

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

Η

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

336

1230

Creation date 01st April 2016 Revision date 18th August 2025

Version

9.0

Additional information

Hazard identification No.
UN number

Classification code FT1
Safety signs 3+6.1



Tunnel restriction code (D/E)

Air transport - ICAO/IATA

Packaging instructions passenger 352
Cargo packaging instructions 364

Marine transport - IMDG

EmS (emergency plan) F-E, S-D

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

methanol

Restriction	Conditions of restriction
69	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or
	defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.
H371 May cause damage to organs.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 Keep container tightly closed.
P260 Do not breathe vapours.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Methylalkohol

Creation date 01st April 2016 Revision date 18th August 2025

Version

9.0

P280 Wear protective gloves/protective clothing.
P301+P310 IF SWALLOWED: Immediately call a doctor.
P308+P311 IF exposed or concerned: Call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR Agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency Response Procedures for Ships Carrying Dangerous Goods

EU European Union

EuPCS European Product Categorisation System

Flam. Liq. Flammable liquid

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient
OEL Occupational Exposure Limits
PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

STOT SE Specific target organ toxicity - single exposure

UN number Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available



SAFETY DATA SHEET				
according to Regulation (EC) No 1907/2006 (REACH) as amended				
	Metl	hylalkohol		
Creation date	01st April 2016	_		
Revision date	18th August 2025	Version	9.0	

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 9.0 replaces the SDS version from Wednesday, 10 May 2023. Changes were made in sections 2, 11, 12, 13 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.