

		SAFETY	DATA SHEET				
		according to Regulation (EC)	No 1907/2006 (REACH)	as amended			
		Nitric acid sol	ution 50% in w	ater			
Creat	ion date	27th September 2020					
Revis	ion date	05th May 2023	Version	5.0			
SECT	ION 1: Identificat	ion of the substance/mixture	and of the company/u	ndertaking			
1.1.	Product identifi	ier	Nitric acid soluti	on 50% in water			
	Substance / mixt	ure	mixture				
	UFI		T3NP-F1PV-5004	4-Q75S			
1.2.	Relevant identi	fied uses of the substance or r	mixture and uses advis	ed against			
	Mixture's inten	Mixture's intended use					
	Chemical product	tion, analytical chemistry, laborate	ory synthesis, industrial a	applications.			
	Mixture uses advised against						
	The product shou	The product should not be used in ways other then those referred in Section 1.					
1.3.	Details of the s	upplier of the safety data shee	et				
	Supplier						
	Name or tr	ade name	Ing. Petr Švec -				
	Address		Radiová 1122/1, Praha 10, 102 00				
			Czech Republic				
		on number (CRN)	02096013				
	VAT Reg No	D	CZ02096013				
	Phone		+420 226 060 681				
	E-mail		info@pentachem				
	Web addre		www.pentachem	nicals.eu			
	• •	son responsible for the safety					
	Name		Ing. Petr Švec -				
	E-mail		info@pentachem	nicals.eu			
1.4.	Emergency tele	-					
	European emerge	ency number: 112 112					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Acute Tox. 3, H331

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

May be corrosive to metals.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage. Toxic if inhaled.

2.2. Label elements

Hazard pictogram



Signal word Danger



	SAFETY	DATA SHEET				
according to Regulation (EC) No 1907/2006 (REACH) as amended						
	Nitric acid sol	ution 50% in w	ater			
Creation date	27th September 2020					
Revision date	05th May 2023	Version	5.0			
Hazardous sub	stances					
nitric acid%						
Hazard stateme	ents					
H290 May be corrosive to metals.						
H314 Causes severe skin burns and eye damage.						
H331 Toxic if inhaled.						
Precautionary s	statements					
P260	Do not breathe va	pours.				
P280	Wear protective gl	oves/protective clothing/	eye protection/face protection.			
P301+P330+P33	IF SWALLOWED: F	Rinse mouth. Do NOT indu	uce vomiting.			
P303+P361+P35	IF ON SKIN (or ha with water or show		all contaminated clothing. Rinse skin			
P305+P351+P33		cautiously with water for and easy to do. Continue	several minutes. Remove contact rinsing.			
P308+P311	IF exposed or cond	cerned: Call a POISON CE	NTER/doctor.			
Supplemental i EUH071	nformation Corrosive to the re	espiratory tract.				
2.3. Other hazards						

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 007-030-00-3 CAS: 7697-37-2 EC: 231-714-2 Registration number: 01-2119487297-23- 0039	nitric acid%	50	Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 Acute Tox. 3, H331 EUH071 Specific concentration limit: Ox. Liq. 3, H272: $C \ge 65 \%$ ATE Inhalation (vapor) = 2,65 mg/l Skin Corr. 1A, H314: $C \ge 20 \%$ Skin Corr. 1B, H314: $5 \% \le C < 20 \%$	1, 2

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.



	SAFETY I	DATA SHEET				
	according to Regulation (EC)	No 1907/2006 (REACH)	as amended			
	Nitric acid solution 50% in water					
Creation date	27th September 2020					
Revision date	05th May 2023	Version	5.0			

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended					
					Nitric acid solution 50% in water
27th September 2020					
05th May 2023	Version	5.0			
	according to Regulation (EC) N Nitric acid solu 27th September 2020	according to Regulation (EC) No 1907/2006 (REACH) a Nitric acid solution 50% in w 27th September 2020	according to Regulation (EC) No 1907/2006 (REACH) as amended Nitric acid solution 50% in water 27th September 2020		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union	Commission Directive 2006/15/E		
Substance name (component)	Туре	Value	
pitric poid = 0/(CAS) (7607, 27, 2)	OEL 15 minutes	2,6 mg/m ³	
nitric acid% (CAS: 7697-37-2)	OEL 15 minutes	1 ppm	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



	SAFETY [DATA SHEET		
	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended	
	Nitric acid solu	tion 50% in w	ater	
Creation date	27th September 2020	Version	E O	
Revision date	05th May 2023	Version	5.0	
Respiratory Use insulating insufficient ver	breathing apparatus when the expos	sition limits of the subs	tances are exceeded or at t	the place with
Thermal haza				

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colorless to yellowish
Odour	acrid
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	<1 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.31 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
Other information	
and a second a labela	

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



SAFETY	DATA SHEET				
according to Regulation (EC)	No 1907/2006 (REACH) a	as amended			
Nitric acid solution 50% in water					
27th September 2020					
05th May 2023	Version	5.0			
	according to Regulation (EC) Nitric acid solu 27th September 2020	Nitric acid solution 50% in wa	according to Regulation (EC) No 1907/2006 (REACH) as amended Nitric acid solution 50% in water 27th September 2020		

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Toxic if inhaled.

nitric acid%							
Route of exposure	Parameter	Value	Exposure time	Species	Sex		
Inhalation (vapor)	ATE	2.65 mg/l					

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

- not available
- 12.2. Persistence and degradability not available
- 12.3. Bioaccumulative potential

Not available.



		SAFETY	DATA SHEET	
		according to Regulation (EC) No 1907/2006 (REACH)	as amended
		Nitric acid sol	ution 50% in w	vater
	on date on date	27th September 2020 05th May 2023	Version	5.0
12.4.	Mobility in so Not available.	il		
12.5.	Product does r	T and vPvB assessment not contain any substance meeting) No 1907/2006 (REACH) as amend		PvB in accordance with the Annex XIII
12.6.	The mixture do	rupting properties es not contain substances with end Delegated Regulation (EU) 2017/2	1 91 1	ies in accordance with the criteria set ou ation (EU) 2018/605.
	<u></u>	effects	-	

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number UN 2031
- **14.2.** UN proper shipping name NITRIC ACID
- 14.3.Transport hazard class(es)8Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards


- not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Hazard identification No.

- UN number
- Classification code Safety signs





SAFETY DATA SHEET							
	according to Regulation (I	EC) No 1907/2006 (REACH) a	is amended				
Nitric acid solution 50% in water							
Creation date	27th September 2020						
Revision date	05th May 2023	Version	5.0				
Marine trans	sport - IMDG						
EmS (em	ergency plan)	F-A, S-B					

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains restricted explosives precursors: Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

More information

The supplier is obliged to report suspicious transactions, disappearances and thefts to the relevant state authority. Restricted explosives precursors shall not be made available to, or introduced, possessed or used by members of the general public (according to the Annex I to the Regulation (EU) 2019/1148 as amended).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet					
H272	May intensify fire; oxidiser.				
H290	May be corrosive to metals.				
H314	Causes severe skin burns and eye damage.				
H318	Causes serious eye damage.				
H331	Toxic if inhaled.				
Guidelines for safe handling used in the safety data sheet					
P260	Do not breathe vapours.				
P280	Wear protective gloves/protective clothing/eye protection/face protection.				
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.				
A list of additional standard phrases used in the safety data sheet					
EUH071	Corrosive to the respiratory tract.				
Other important information about human health protection					
The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.					
Key to abbreviations and acronyms used in the safety data sheet					
ADR	European agreement concerning the international carriage of dangerous goods by road				
BCF	Bioconcentration Factor				
CAS	Chemical Abstracts Service				
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures				
EC	Identification code for each substance listed in EINECS				
EINECS	European Inventory of Existing Commercial Chemical Substances				
EmS	Emergency plan				



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 (REACH) as amended Nitric acid solution 50% in water									
					Creation date	27th September 2020	er 2020		
					Revision date	05th May 2023	Version	5.0	
EU	European Union								
EuPCS	European Product Categorisation System								
IATA	International Air Transport Association								
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals								
ICAO	International Civil Aviation Organization								
IMDG	International Maritime Dangerous Goods								
IMO	International Mariti	International Maritime Organization							
INCI	International Nome	International Nomenclature of Cosmetic Ingredients							
ISO	International Organ	International Organization for Standardization							
IUPAC	International Union	International Union of Pure and Applied Chemistry							
log Kow	Octanol-water parti	Octanol-water partition coefficient							
OEL	Occupational Expos	Occupational Exposure Limits							
PBT	Persistent, Bioaccumulative and Toxic								
ppm	Parts per million	Parts per million							
REACH	Registration, Evalua	Registration, Evaluation, Authorisation and Restriction of Chemicals							
RID	Agreement on the t	Agreement on the transport of dangerous goods by rail							
UN	Four-figure identific Model Regulations	Four-figure identification number of the substance or article taken from the UN Model Regulations							
UVCB	Substances of unkn biological materials	Substances of unknown or variable composition, complex reaction products or biological materials							
VOC	Volatile organic com	Volatile organic compounds							
vPvB	Very Persistent and	Very Persistent and very Bioaccumulative							
Acute Tox.	Acute toxicity	Acute toxicity							
Eye Dam.	Serious eye damage	Serious eye damage							
Met. Corr.	Corrosive to metals	Corrosive to metals							
Ox. Liq.	Oxidising liquid	Oxidising liquid							
Skin Corr.	Skin corrosion	Skin corrosion							
Training guidali									

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 28 February 2022. Changes were made in sections 1, 2, 11, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.