

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Pentanal® Hydrochloric acid 1 mol/l (1N)

Substance / mixture substance

Chemical name hydrochloric acid ... %

 CAS number
 7647-01-0

 Index number
 017-002-01-X

 EC (EINECS) number
 231-595-7

Registration number 01-2119484862-27-0000

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

## Substance uses advised against

The product should not be used in ways other then those referred in Section 1.

## 1.3. Details of the supplier of the safety data sheet

Identification number (CRN)

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic 02096013 CZ02096013

VAT Reg No CZ02096013
Phone +420 226 060 681
E-mail info@pentachemicals.eu
Web address www.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

## 1.4. Emergency telephone number

European emergency number: 112 112

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse physico-chemical effects

May be corrosive to metals.

## Most serious adverse effects on human health and the environment

May cause respiratory irritation. Causes serious eye damage. Causes severe skin burns and eye damage.



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### 2.2. Label elements

## **Hazard pictogram**



### Signal word

Danger

**Hazard statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

**Precautionary statements** 

P261 Avoid breathing vapours. P280 Wear eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

## 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## **Chemical characterization**

The substance specified below

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 017-002-01-X CAS: 7647-01-0 EC: 231-595-7 Registration number: 01-2119484862-27- 0000	substance main component hydrochloric acid %	23,6	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 25\%$ STOT SE 3, H335: $C \ge 10\%$ Eye Dam. 1, H318: $C \ge 1\%$ Met. Corr. 1, H290: $C \ge 0.1\%$ Skin Corr. 1B, H314: $C \ge 1\%$	1, 2

## Notes

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

#### If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

## If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

### If inhaled

Inhaling vapours can cause corrosion of the breathing system. May cause respiratory irritation.

## If on skin

Causes severe skin burns.

## If in eyes

Causes serious eye damage.

## If swallowed

Corrosion of the digestion system can occur.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. Store locked up. Keep container tightly closed.

## 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **European Union**

### Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
	OEL 8 hours	8 mg/m <sup>3</sup>
hydrochloric acid 0/ (CAS) 7647 01 0)	OEL 8 hours	5 ppm
hydrochloric acid % (CAS: 7647-01-0)	OEL 15 minutes	15 mg/m <sup>3</sup>
	OEL 15 minutes	10 ppm



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### 8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product (butyl rubber, nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state liquid Colour colourless Odour acrid Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available data not available Auto-ignition temperature Decomposition temperature data not available рΗ data not available data not available Kinematic viscosity

Solubility in water soluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available Density and/or relative density data not available Relative vapour density data not available Particle characteristics data not available

#### 9.2. Other information

not available

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The substance is non-flammable.

## 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

## 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

### **Acute toxicity**

Based on available data the classification criteria are not met.

hydrochloric acid ... %

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Dermal	LD <sub>50</sub>	>5010 mg/kg		Rabbit	
Inhalation (vapor)	LC <sub>50</sub>	4701 ppm	30 minutes		

## Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage.

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

## Carcinogenicity

Based on available data the classification criteria are not met.

## Reproductive toxicity

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - single exposure

May cause respiratory irritation.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

## **Aspiration hazard**

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

## 12.1. Toxicity



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### **Acute toxicity**

hydrochloric acid ... %

Parameter	Value	Exposure time	Species	Environment
LC50	20.5 (pH 3.25) mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC50	0.45 mg/l	48 hours	Daphnia (Daphnia magna)	

### 12.2. Persistence and degradability

not available

#### 12.3. Bioaccumulative potential

Not available.

#### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

#### 12.7. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### **SECTION 14: Transport information**

## 14.1. UN number or ID number

UN 1789

## 14.2. UN proper shipping name

HYDROCHLORIC ACID

## 14.3. Transport hazard class(es)

8 Corrosive substances

## 14.4. Packing group

II - substances presenting medium danger

#### 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

80

1789

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

#### **Additional information**

Hazard identification No.

UN number Classification code Safety signs

C1

8



#### Air transport - ICAO/IATA

Packaging instructions passenger 851
Cargo packaging instructions 855

Marine transport - IMDG

EmS (emergency plan) F-A, S-B

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

### A list of standard risk phrases used in the safety data sheet

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
Guidelines for safe handling used in the safety data sheet

P261 Avoid breathing vapours.
P280 Wear eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

## Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019
Revision date 16th May 2023 Version 4.0

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Eye Dam. Serious eye damage Met. Corr. Corrosive to metals Skin Corr. Skin corrosion

STOT SE Specific target organ toxicity - single exposure

## Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## **Recommended restrictions of use**

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 09 December 2022. Changes were made in sections 1, 2, 12, 15 and 16.

#### More information



## **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Pentanal® Hydrochloric acid 1 mol/l (1N)

Creation date 16th September 2019

Revision date 16th May 2023 Version 4.0

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.