

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Substance / mixture
UFI

Peracetic acid solution 15% in water

mixture

JSKX-F3SG-X00V-WEUF

1.2. Relevant identified uses of the substance or mixture and uses advised against**Mixture's intended use**

Oxidizing agent.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet**Supplier**

Name or trade name	Ing. Petr Švec - PENTA s.r.o.
Address	Radiová 1122/1, Praha 10, 102 00
	Czech Republic
Identification number (CRN)	02096013
VAT number	CZ02096013
Phone	+420 226 060 681
Email	info@pentachemicals.eu
Web address	www.pentachemicals.eu

Competent person responsible for the safety data sheet

Name	Ing. Petr Švec - PENTA s.r.o.
Email	info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Org. Perox. E, H242
Met. Corr. 1, H290
Acute Tox. 4, H302+H332
Acute Tox. 3, H311
Skin Corr. 1A, H314
Eye Dam. 1, H318
STOT SE 3, H335
Aquatic Acute 1, H400
Aquatic Chronic 1, H410

Most serious adverse physico-chemical effects

Heating may cause a fire. May be corrosive to metals.

Most serious adverse effects on human health and the environment

Toxic in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. Harmful if swallowed or if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

hydrogen peroxide solution... %
peracetic acid ... %

Hazard statements

H242	Heating may cause a fire.
H290	May be corrosive to metals.
H302+H332	Harmful if swallowed or if inhaled.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.

Supplemental information

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 008-003-00-9 CAS: 7722-84-1 EC: 231-765-0 Registration number: 01-2119485845-22-xxxx	hydrogen peroxide solution... %	23.5-26.5	Ox. Liq. 1, H271 Acute Tox. 4, H302, H332 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 50 % ≤ C < 70 % Skin Irrit. 2, H315: 35 % ≤ C < 50 % Eye Irrit. 2, H319: 5 % ≤ C < 8 % Eye Dam. 1, H318: 8 % ≤ C < 50 % Ox. Liq. 1, H271: C ≥ 70 % Ox. Liq. 2, H272: 50 % ≤ C < 70 % STOT SE 3, H335: C ≥ 35 %	1, 5
Index: 607-094-00-8 CAS: 79-21-0 EC: 201-186-8	peracetic acid ... %	15	Org. Perox. D, H242 Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1A, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: STOT SE 3, H335: C ≥ 1 % ATE Inhalation (dust/mist) = 0,2 mg/l ATE Dermal = 60 mg/kg bw ATE Oral = 80 mg/kg bw	1, 2, 3
Index: 607-002-00-6 CAS: 64-19-7 EC: 200-580-7 Registration number: 01-2119475328-30-xxxx	acetic acid ... %	<15	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1A, H314: C ≥ 90 % Skin Irrit. 2, H315: 10 % ≤ C < 25 % Skin Corr. 1B, H314: 25 % ≤ C < 90 % Eye Irrit. 2, H319: 10 % ≤ C < 25 %	1, 4

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

- 2 Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".
- 3 Note T: This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.
- 4 A substance for which exposure limits are set.
- 5 Explosive precursor

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 0.2-0.5 L of water. DO NOT PROVIDE ACTIVATED CARBON! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

Inhaling vapours can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Heating may cause a fire. May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Keep only in original packaging. Store locked up. Keep container tightly closed.

Storage temperature

min 0 °C, max 20 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union	Commission Directive (EU) 2017/164	
Substance name (component)	Type	Value
acetic acid ... % (CAS: 64-19-7)	OEL 8 hours	25 mg/m ³
	OEL 8 hours	10 ppm
	OEL 15 minutes	50 mg/m ³

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

European Union

Commission Directive (EU) 2017/164

Substance name (component)	Type	Value
acetic acid ... % (CAS: 64-19-7)	OEL 15 minutes	20 ppm

DNEL

hydrogen peroxide solution... %

Workers / consumers	Route of exposure	Value	Effect	Source
Workers	Inhalation	1.4 mg/m ³	Chronic effects local	BL dodavatel Oqema
Workers	Inhalation	3 mg/m ³	Acute effects local	BL dodavatel Oqema

PNEC

hydrogen peroxide solution... %

Route of exposure	Value	Source
Freshwater environment	0.013 mg/l	BL dodavatel Oqema
Marine water	0.0013 mg/l	BL dodavatel Oqema
Freshwater sediment	0.047 mg/kg of dry substance of sediment	BL dodavatel Oqema
Sea sediments	0.047 mg/kg of dry substance of sediment	BL dodavatel Oqema
Microorganisms in sewage treatment	4.66 mg/l	BL dodavatel Oqema
Soil (agricultural)	0.002 mg/kg of dry substance of soil	BL dodavatel Oqema

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection



Protective goggles or face shield (based on the nature of the work performed).

Skin protection



Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. When selecting gloves, consider the properties of the product and the duration of exposure. Replace gloves at the first signs of wear or damage. Contaminated skin should be washed thoroughly.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

Glove material	Thickness	Breakthrough time	Class	Exposure time
Nitrile (NBR)	≥ 0.3 mm	>30 min	2	Short-term
Nitrile (NBR)	≥ 0.7 mm	>480 min	6	Repeated, Long-term

Respiratory protection



Mask with a filter in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colorless to yellowish
Odour	characteristic
Melting point/freezing point	-37 °C
Boiling point or initial boiling point and boiling range	>80 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	66-70 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	0-1 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	1.42 kPa at 20 °C
Density and/or relative density	
Density	1.156 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

not available

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Toxic in contact with skin. Harmful if swallowed or if inhaled.

Peracetic acid solution 15% in water							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	ATE	401.6 mg/kg				Calculation of value	
Dermal	ATE	400 mg/kg				Calculation of value	
Inhalation (dust/mist)	ATE	1.0791 mg/l				Calculation of value	

acetic acid ... %

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	3310 mg/kg		Rat (Rattus norvegicus)			

hydrogen peroxide solution... %

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	431 mg/kg		Rat		Expert opinion	BL dodavatel Oqema
Dermal	LD ₅₀	9200 mg/kg		Rabbit			BL dodavatel Oqema
Inhalation (dust/mist)	LC ₅₀	1.5 mg/l	4 hours	Rat (Rattus norvegicus)			BL dodavatel Oqema
Inhalation (vapor)	LC ₅₀	11 mg/l	4 hours	Rat (Rattus norvegicus)		Estimated value	BL dodavatel Oqema

peracetic acid ... %

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Inhalation (dust/mist)	ATE	0.2 mg/l					

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

peracetic acid ... %								
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source	
Dermal	ATE	60 mg/kg bw						
Oral	ATE	80 mg/kg bw						

Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage.

hydrogen peroxide solution... %				
Route of exposure	Result	Exposure time	Species	Source
	Serious eye damage		Rabbit	BL dodavatel Oqema

Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Sensitization

hydrogen peroxide solution... %					
Route of exposure	Result	Exposure time	Species	Sex	Source
	Negative		Guinea-pig		BL dodavatel Oqema

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

hydrogen peroxide solution... %

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex	Source
	NOEL	OECD 408	26 mg/kg			Mouse	M	BL dodavatel Ogema

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Acute toxicity

acetic acid ... %					
Parameter	Value	Exposure time	Species	Environment	Source
LC ₅₀	75 mg/l	96 hours	Fish (Lepomis macrochirus)		
EC ₅₀	47 mg/l	24 hours	Daphnia (Daphnia magna)		

hydrogen peroxide solution... %

Parameter	Value	Exposure time	Species	Environment	Source
EC ₅₀	2.34 mg/l	48 hours	Invertebrates (Daphnia magna)		BL dodavatel Ogema
NOEC	38.5 mg/l		Fish (Oncorhynchus mykiss)		BL dodavatel Ogema
LC ₅₀	16.4 mg/kg	96 hours	Fish (Pimephales promelas)		BL dodavatel Ogema

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information**14.1. UN number or ID number**

UN 3107

14.2. UN proper shipping name

ORGANIC PEROXIDE TYPE E, LIQUID

14.3. Transport hazard class(es)

5.2 Organic peroxides

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.



UN number

P1

Classification code

5.2+hazardous for the environment

Safety signs



Tunnel restriction code

(D)

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

Air transport - ICAO/IATA

Packaging instructions passenger	570
Cargo packaging instructions	570

Marine transport - IMDG

EmS (emergency plan)	F-J, S-R
----------------------	----------

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains restricted explosives precursors: Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH071	Corrosive to the respiratory tract.
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H310+H330	Fatal in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.

Other important information about human health protection

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
Met. Corr.	Corrosive to metals
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
Org. Perox.	Organic peroxide
Ox. Liq.	Oxidising liquid
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Peracetic acid solution 15% in water

Creation date	22nd April 2021	Version	4.0
Revision date	10th February 2026		

UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from Wednesday, 10 July 2024. Changes were made in sections 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.