

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
 Substance / mixture Petroleum spirit RN  
 UFI mixture  
 XMK3-U3JV-W00W-HW1N
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
 Chemical production, analytical chemistry, laboratory synthesis, industrial applications.  
**Mixture uses advised against**  
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
 Name or trade name Ing. Petr Švec - PENTA s.r.o.  
 Address Radiová 1122/1, Praha 10, 102 00  
 Czech Republic  
 Identification number (CRN) 02096013  
 VAT Reg No CZ02096013  
 Phone +420 226 060 681  
 E-mail info@pentachemicals.eu  
 Web address www.pentachemicals.eu
- Competent person responsible for the safety data sheet**  
 Name Ing. Petr Švec - PENTA s.r.o.  
 E-mail info@pentachemicals.eu
- 1.4. Emergency telephone number**  
 European emergency number: 112 112

#### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
 The mixture is classified as dangerous.

Flam. Liq. 2, H225  
 Asp. Tox. 1, H304  
 Skin Irrit. 2, H315  
 STOT SE 3, H336  
 Repr. 2, H361f  
 STOT RE 2, H373  
 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility. Toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

#### 2.2. Label elements

##### Hazard pictogram



##### Signal word

Danger

##### Hazardous substances

n-hexane

##### Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

##### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P308+P311	IF exposed or concerned: Call a POISON CENTER.
P403+P235	Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-037-00-0 CAS: 110-54-3 EC: 203-777-6 Registration number: 01-2119480412-44-0002	n-hexane	50-60	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 2, H411 Specific concentration limit: STOT RE 2, H373: C ≥ 5 %	1

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-017-00-1 CAS: 110-82-7 EC: 203-806-2 Registration number: 01-2119463273-41	cyclohexane	1-5	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	1, 2
EC: 925-292-5 Registration number: 01-2119474209-33-0000	hydrocarbons, C6, n-alkanes, isoalkanes, cyclic, n-hexane rich		Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 2, H411	

#### Notes

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

##### If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Cough, headache. May cause drowsiness or dizziness.

##### If on skin

Causes skin irritation.

##### If in eyes

Not expected.

##### If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

##### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

##### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

##### 7.3. Specific end use(s)

not available

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### European Union

##### Commission Directive 2006/15/EC

Substance name (component)	Type	Value
n-hexane (CAS: 110-54-3)	OEL 8 hours	72 mg/m <sup>3</sup>
	OEL 8 hours	20 ppm
cyclohexane (CAS: 110-82-7)	OEL 8 hours	700 mg/m <sup>3</sup>
	OEL 8 hours	200 ppm

##### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

Protective goggles. Protective goggles or face shield (based on the nature of the work performed).

##### Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

##### Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

##### Thermal hazard

Not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state

liquid

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	65-70 °C
Flammability	flammable
Lower and upper explosion limit	data not available
Flash point	-28 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,651 - 0,701 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

#### 9.2. Other information

not available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

##### Acute toxicity

Based on available data the classification criteria are not met.  
cyclohexane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	LD <sub>50</sub>		>2000 mg/kg		Rat	
Inhalation (vapor)	LC <sub>50</sub>		>32.9 mg/l	4 hours	Rat	
Oral	LD <sub>50</sub>		>5000 mg/kg		Rat	

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date 10th September 2019

Revision date 21st June 2023

Version

4.0

hydrocarbons, C6, n-alkanes, isoalkanes, cyclic, n-hexane rich

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
	LD <sub>50</sub>		>5000 mg/kg		Rat	
	LD <sub>50</sub>		>3350 mg/kg		Rabbit	

n-hexane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	16000 mg/kg		Rat (Rattus norvegicus)	F/M
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>		172 mg/l	48 hours	Rat	

#### Skin corrosion/irritation

Causes skin irritation.

cyclohexane

Route of exposure	Result	Exposure time	Species
	Slightly irritating		Rabbit

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

cyclohexane

Route of exposure	Result	Exposure time	Species
	Slightly irritating		Rabbit

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Mutagenicity

cyclohexane

Result	Exposure time	Specific target organ	Species	Sex
Negative				
Indeterminate				

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Suspected of damaging fertility.

cyclohexane

Effect	Parameter	Value	Result	Species	Sex
	NOEL	24 mg/l	Negative	Rat	
	NOAEL	6.9 mg/l	Indeterminate	Rat	

#### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

cyclohexane

Route of exposure	Parameter	Value	Specific target organ	Result	Species	Sex
Inhalation			Nervous system	Drowsiness, Dizziness	Human	
Inhalation	NOAEL		Lungs	Indeterminate	Human	

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**Petroleum spirit RN**

Creation date 10th September 2019

Revision date 21st June 2023

Version

4.0

**Toxicity for specific target organ - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

cyclohexane

Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Inhalation	NOAEL	24 mg/l	90 days	Liver	Indeterminate	Rat	
Inhalation	NOAEL	1.7 mg/l	90 days		Indeterminate	Rat	
Inhalation	NOAEL	2.7 mg/l	10 weeks	Kidney	Indeterminate	Rabbit	
Inhalation	NOAEL	24 mg/l	14 weeks	Bone marrow	Indeterminate	Mouse	
Inhalation	NOAEL	8.6 mg/l	30 weeks	Nervous system	Negative	Rat	

**Aspiration hazard**

May be fatal if swallowed and enters airways.

cyclohexane

Route of exposure	Result	Exposure time	Species	Sex

**11.2. Information on other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Toxic to aquatic life with long lasting effects.

cyclohexane

Parameter	Value	Exposure time	Species	Environment	Value determination
EC <sub>50</sub>	3.4 mg/l	72 hours	Algae		Experimentally
EC <sub>50</sub>	0.9 mg/l	48 hours	Daphnia		Experimentally
EC <sub>50</sub>	4.53 mg/l	96 hours	Fish (Oncorhynchus mykiss)		

hydrocarbons, C6, n-alkanes, isoalkanes, cyclic, n-hexane rich

Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	3.9 mg/l	48 hours	Daphnia		
LC <sub>50</sub>	>1000 µg/l	48 hours			

n-hexane

Parameter	Value	Exposure time	Species	Environment	Value determination
EC <sub>50</sub>	2.1 mg/l	48 hours	Daphnia (Daphnia magna)		
	2.5 mg/l	96 hours	Fish (Pimephales promelas)		

**12.2. Persistence and degradability****Biodegradability**

cyclohexane

Parameter	Value	Exposure time	Environment	Value determination	Result
		28 days		Experimentally	

not available



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

#### 12.3. Bioaccumulative potential

cyclohexane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determination
		56 days				Experimentally

Not available.

#### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### SECTION 14: Transport information

#### 14.1. UN number or ID number

UN 1208

#### 14.2. UN proper shipping name

HEXANES

#### 14.3. Transport hazard class(es)

3 Flammable liquids

#### 14.4. Packing group

II - substances presenting medium danger

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		


#### Additional information

Hazard identification No.

UN number

Classification code

Safety signs



F1

3+ hazardous for the environment



#### Air transport - ICAO/IATA

Packaging instructions passenger

353

Cargo packaging instructions

364

#### Marine transport - IMDG

EmS (emergency plan)

F-E, S-D

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

cyclohexane

Restriction	Conditions of restriction
57	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package sizes greater than 350 g.</p> <p>2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:</p> <p>— This product is not to be used under conditions of poor ventilation. — This product is not to be used for carpet laying.”.</p>

### 15.2. Chemical safety assessment

not available

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H225

Highly flammable liquid and vapour.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P308+P311	IF exposed or concerned: Call a POISON CENTER.
P403+P235	Store in a well-ventilated place. Keep cool.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Petroleum spirit RN

Creation date	10th September 2019	Version	4.0
Revision date	21st June 2023		

UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquid
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

#### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 21 February 2023. Changes were made in sections 2, 11, 15 and 16.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.