

# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Sodium dodecyl sulfate

Substance / mixture substance

Chemical name Sodium dodecyl sulfate

CAS number 151-21-3 EC (EINECS) number 205-788-1

Registration number 01-2119489461-32-xxxx

Other substance name

Sodium dodecyl sulfate

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Substance uses advised against

The product should not be used in ways other then those referred in Section 1.

### 1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o. Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

### 1.4. Emergency telephone number

European emergency number: 112

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Flam. Sol. 2, H228 Acute Tox. 4, H302+H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

### Most serious adverse physico-chemical effects

Flammable solid.

### Most serious adverse effects on human health and the environment

Causes serious eye damage. May cause respiratory irritation. Causes skin irritation. Harmful if swallowed or if inhaled. Harmful to aquatic life with long lasting effects.



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### 2.2. Label elements

### **Hazard pictogram**



### Signal word

Danger

## **Dangerous substance**

Sodium dodecyl sulfate

(EC: 205-788-1; CAS: 151-21-3)

## **Hazard statements**

H228 Flammable solid.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P405 Store locked up.

## 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

# **Chemical characterization**

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
	substance main component			
CAS: 151-21-3 EC: 205-788-1 Registration number: 01-2119489461-32- xxxx	Sodium dodecyl sulfate		Flam. Sol. 2, H228 Acute Tox. 4, H302+H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412	

Full text of all classifications and hazard statements is given in the section 16.



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

Provide medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

### If inhaled

Inhaling dust can cause corrosion of the breathing system. Cough, headache. May cause respiratory irritation.

### If on skin

Causes skin irritation.

# If in eyes

Causes serious eye damage.

### If swallowed

Corrosion of the digestion system can occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.



SAFETY DATA SHEET						
	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended			
	Sodium dodecyl sulfate					
Creation date	20th September 2019					
Revision date	07th October 2022	Version	2.0			

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. The substance is flammable. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale dust. Prevent contact with skin and eyes. No smoking. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion -proof electrical/ventilating/lighting equipment. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed.

Storage temperature

max.+40 °C

# 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### DNEL

Sodium dodecyl sulfate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	4060 mg/kg	Systemic chronic effects		
Workers	Inhalation	285 mg/m <sup>3</sup>	Systemic chronic effects		

### PNFC

Sodium dodecyl sulfate

,			
Route of exposure	Value	Value determination	Source
Drinking water	137 μg/l		
Water (intermittent release)	55 μg/l		
Freshwater sediment	4.82 mg/kg		
Sea sediments	0.482 mg/kg		
Soil (agricultural)	0.882 mg/kg		



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

### Skin protection

Hand protection: Protective gloves resistant to the product (nitrile rubber). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

#### Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state solid

Colour colorless to yellowish
Odour without fragrance
Melting point/freezing point 204-207 °C
Boiling point or initial boiling point and boiling range data not available

Flammability data not available
Lower and upper explosion limit data not available

Flash point 170 °C

Auto-ignition temperature data not available Decomposition temperature 216 °C

pH 6-9 (undiluted)

Kinematic viscosity data not available

Solubility in water 150 g/l
Partition coefficient n-octanol/water (log value) data not available

Vapour pressure data not available
Density and/or relative density data not available

### 9.2. Other information

not available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The substance is flammable.

### 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

### **Acute toxicity**

Harmful if swallowed or if inhaled.

Sodium dodecyl sulfate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	300-2000 mg/kg		Rat	
Dermal	LD50	>2000 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	3900 mg/m <sup>3</sup>	01 hour	Rat (Rattus norvegicus)	

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

# Toxicity for specific target organ - single exposure

May cause respiratory irritation.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

6/10



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### **Acute toxicity**

Harmful to aquatic life with long lasting effects.

Sodium dodecyl sulfate

Parameter	Method	Value	Exposure time	Species	Environmen t
EC50	ASTM E 1193	1-10 mg/l	48 hour	Daphnia (Daphnia magna)	
LC50		10-100 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
LOEC		2.68 mg/l	06 day	Algae (Pseudokirchneriella subcapitata)	
NOEC		19.5 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

### 12.2. Persistence and degradability

not available

### 12.3. Bioaccumulative potential

Not available.

## 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100. The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### **SECTION 14: Transport information**

### 14.1. UN number or ID number

UN 1325

# 14.2. UN proper shipping name

FLAMMABLE SOLID, ORGANIC, N.O.S. (SODIUM DODECYL SULFATE)

### 14.3. Transport hazard class(es)

4.1 Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives



# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

not available

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **Additional information**

Hazard identification No. 40
UN number 1325
Classification code F1
Safety signs 4.1



### Air transport - ICAO/IATA

Packaging instructions passenger 446 Cargo packaging instructions 449

### Marine transport - IMDG

EmS (emergency plan) F-A, S-G

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

## 15.2. Chemical safety assessment

not available

### **SECTION 16: Other information**

# A list of standard risk phrases used in the safety data sheet

H228 Flammable solid.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled. Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.



2.0

# **SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019 Revision date 07th October 2022

Version

P310 Immediately call a doctor.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P405 Store locked up.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan

ES Identification code for each substance listed in EINECS

EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

NOEC No observed effect concentration OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Flam. Sol. Flammable solid Skin Irrit. Skin irritation



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Sodium dodecyl sulfate

Creation date 20th September 2019

Revision date 07th October 2022 Version 2.0

STOT SE

Specific target organ toxicity - single exposure

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from 20 September 2019. Changes were made in sections 1,2,4,5,8,9,13, 15 and 16.

### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.