

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023

Revision date 08th November 2023 Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Sulfuric acid solution 49-51% in water

Substance / mixture mixture

UFI WKFT-X16P-U002-JAAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)

VAT Reg No

Phone

CZ02096013

+420 226 060 681

E-mail

Web address

Www.pentachemicals.eu

www.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

sulphuric acid ... %

Hazard statements

H314

Causes severe skin burns and eye damage.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023 Revision date 08th November 2023

8th November 2023 Version 3.0

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 016-020-00-8 CAS: 7664-93-9 EC: 231-639-5 Registration number: 01-2119458838-20- 0004	sulphuric acid %		Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1A, H314: $C \ge 15$ % Eye Irrit. 2, H319: 5 % $\le C < 15$ % Skin Irrit. 2, H315: 5 % $\le C < 15$ %	1, 2

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.



	SAFETY I	DATA SHEET		
	according to Regulation (EC) I	No 1907/2006 (REACH)	as amended	
	Sulfuric acid solut	tion 49-51% in	water	
Creation date Revision date	27th February 2023 08th November 2023	Version	3.0	

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



SAFETY DATA SHEET						
	according to Regulation (EC) No 1907/2006 (REACH) as amended					
	Sulfuric acid solution 49-51% in water					
Creation date	27th February 2023					
Revision date	08th November 2023	Version	3.0			

SECTION 7: Handling and storage

Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Storage class 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

Control parameters

European Union

Commission Directive 2009/161/EU

Substance name (component)	Туре	Value
Sulphuric acid (mist) (CAS: 7664-93-9)	OEL 8 hours	0,05 mg/m ³

DNEL

Sulfuric acid solu	Sulfuric acid solution 49-51% in water						
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source		
Workers	Inhalation	0.1 mg/m ³	Acute effects local				
Workers	Inhalation	0.05 mg/m³	Chronic effects local				

PNEC

Sulfuric acid solution 49-51% in water					
Route of exposure	Value	Value determination	Source		
Marine water	0.00025 mg/l				
Drinking water	0.0025 mg/l				
Sea sediments	0.002 mg/kg				
Freshwater sediment	0.002 mg/kg				

8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product (butyl rubber, Viton). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: Protective work clothing (rubber apron). Other protection: Work boots (boots). Contaminated skin should be washed thoroughly.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023 Revision date 08th November 2023

Version 3.0

Respiratory protection

Respirator. Half mask with acid vapor filter.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour colourless Odour without fragrance Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available data not available Flammability Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available <1 (undiluted) Kinematic viscosity data not available

Solubility in water soluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1.39 g/cm³
Relative vapour density data not available
Particle characteristics data not available

9.2. Other information

Evaporation rate data not available

Oxidising properties The product has an oxidizing properties.

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



	SAFETY I	DATA SHEET				
	according to Regulation (EC) I	No 1907/2006 (REACH)	as amended			
	Sulfuric acid solution 49-51% in water					
Creation date	27th February 2023					
Revision date	08th November 2023	Version	3.0			

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

Sulfuric acid solution 49-51% in water							
Route of exposure	Parameter	Value	Exposure time	Species	Sex		
Oral	LD50	2140 mg/kg		Rat (Rattus norvegicus)			
Inhalation	LC50	510 mg/kg	2 hours	Rat (Rattus norvegicus)			
Inhalation	TCLo	3 mg/m³	24 hours	Human			

sulphuric acid %							
Route of exposure	Parameter	Value	Exposure time	Species	Sex		
Oral	LD50	2 140 mg/kg		Rat (Rattus norvegicus)			

Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



	SAFETY I	DATA SHEET		
	according to Regulation (EC) I	No 1907/2006 (REACH) a	as amended	
	Sulfuric acid solut	tion 49-51% in	water	
Creation date Revision date	27th February 2023 08th November 2023	Version	3.0	

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

sulphuric acid %						
Parameter	Value	Exposure time	Species	Environment		
IC50	>100 mg/l	72 hours	Algae (Desmodesmus subspicatus)			
EC50	>100 mg/l	48 hours	Daphnia (Daphnia magna)			
	42 mg/l	96 hours	Fish (Gambusia affinis)			

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023 Revision date 08th November 2023

Version 3.0

SECTION 14: Transport information

14.1. UN number or ID number

UN 2796

14.2. UN proper shipping name

SULPHURIC ACID

14.3. Transport hazard class(es)

3 Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No. UN number

Classification code Safety signs 80 2796

C1



Air transport - ICAO/IATA

Packaging instructions passenger 851
Cargo packaging instructions 855

Marine transport - IMDG

EmS (emergency plan) F-A, S-B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains restricted explosives precursors: Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

More information

Restricted explosives precursors shall not be made available to, or introduced, possessed or used by members of the general public (according to the Annex I to the Regulation (EU) 2019/1148 as amended). The supplier is obliged to report suspicious transactions, disappearances and thefts to the relevant state authority.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023
Revision date 08th November 2023

Revision date 08th November 2023 Version 3.0

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Guidelines for safe handling used in the safety data sheet

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICso Concentration causing 50% blockade
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Sulfuric acid solution 49-51% in water

Creation date 27th February 2023 Revision date 08th November 202:

08th November 2023 Version 3.0

vPvB Very Persistent and very Bioaccumulative

Eye Dam. Serious eye damage Skin Corr. Skin corrosion

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 03 May 2023. Changes were made in sections 2 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.