

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** p-Toluenesulfonic acid monohydrate (contain a maximum

of 5% H2SO4)

Substance / mixture substance

Chemical name p-toluenesulphonic acid (containing a maximum of 5 %

H2SO4)

 CAS number
 6192-52-5

 Index number
 016-030-00-2

 EC (EINECS) number
 203-180-0

Other substance name

4-Methylbenzensulfonic acid

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

#### Substance uses advised against

The product should not be used in ways other then those referred in Section 1.

## 1.3. Details of the supplier of the safety data sheet

**Supplier** 

Name or trade name Ing. Petr Švec - PENTA s.r.o.
Address Radiová 1122/1, Praha 10, 102 00

Czech Republic

Identification number (CRN)02096013VAT Reg NoCZ02096013Phone+420 226 060 681E-mailinfo@pentachemicals.euWeb addresswww.pentachemicals.eu

Competent person responsible for the safety data sheet

Name Ing. Petr Švec - PENTA s.r.o. E-mail info@pentachemicals.eu

### 1.4. Emergency telephone number

European emergency number: 112 112

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

### Most serious adverse physico-chemical effects

May be corrosive to metals.

## Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## 2.2. Label elements

## Hazard pictogram



Signal word

Danger

#### **Dangerous substance**

p-toluenesulphonic acid (containing a maximum of 5 % H2SO4)

(Index: 016-030-00-2; CAS: 6192-52-5)

**Hazard statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P234 Keep only in original packaging.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

## **Chemical characterization**

The substance specified below.

Note

Full text of all classifications and hazard statements is given in the section 16.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### Tf on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

## If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

## 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling dust can cause corrosion of the breathing system.

### If on skin

Causes severe skin burns.

## If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original packaging. Store locked up.

#### 7.3. Specific end use(s)

not available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

## Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

#### Thermal hazard

Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Colour Odour data not available Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available Kinematic viscosity data not available Solubility in water data not available Partition coefficient n-octanol/water (log value) data not available data not available Vapour pressure Density and/or relative density data not available Relative vapour density data not available Particle characteristics data not available

## 9.2. Other information

not available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The substance is non-flammable.

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

## 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

## 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

## **Acute toxicity**

Based on available data the classification criteria are not met.

## Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### **Aspiration hazard**

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

## **Acute toxicity**

Harmful to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

not available

## 12.3. Bioaccumulative potential

Not available.

## 12.4. Mobility in soil

Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

#### 12.7. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

## **SECTION 14: Transport information**

14.1. UN number or ID number

UN 2585

14.2. UN proper shipping name

ALKYLSULPHONIC ACIDS, SOLID

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **Additional information**

Hazard identification No. UN number

Classification code

Safety signs



C4



## Air transport - ICAO/IATA

Packaging instructions passenger 860
Cargo packaging instructions 864

**Marine transport - IMDG** 

EmS (emergency plan) F-A, S-B

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

A list of standard risk phrases used in the safety data sheet

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



3.0

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021
Revision date 03rd May 2023 Version

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P234 Keep only in original packaging.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

## Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System
IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Met. Corr. Corrosive to metals



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# p-Toluenesulfonic acid monohydrate (contain a maximum of 5% H2SO4)

Creation date 01st August 2021

Revision date 03rd May 2023 Version 3.0

Skin Corr. Skin corrosion

STOT SE Specific target organ toxicity - single exposure

## **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## **Recommended restrictions of use**

not available

## Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 29 March 2022. Changes were made in sections 1, 2, 11, 15 and 16.

#### More information

Classification procedure - calculation method.

## **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.