

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1. Product identifier</b>	Chloroform stabilized with ethanol
Substance / mixture	substance
Chemical name	chloroform
CAS number	67-66-3
Index number	602-006-00-4
EC (EINECS) number	200-663-8
Registration number	01-2119486657-20-0005
Other substance name	
Trichlormethan	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against Substance's intended use

Chemical production, analytical chemistry, laboratory synthesis, industrial applications.

#### Substance uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Name or trade name	Ing. Petr Švec - PENTA s.r.o.
Address	Radiová 1122/1, Praha 10, 102 00 Czech Republic
Identification number (CRN)	02096013
VAT Reg No	CZ02096013
Phone	+420 226 060 681
E-mail	info@pentachemicals.eu
Web address	www.pentachemicals.eu

##### Competent person responsible for the safety data sheet

Name	Ing. Petr Švec - PENTA s.r.o.
E-mail	info@pentachemicals.eu

#### 1.4. Emergency telephone number

European emergency number: 112

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

##### Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Acute Tox. 4, H302  
Skin Irrit. 2, H315  
Eye Irrit. 2, H319  
Acute Tox. 3, H331  
STOT SE 3, H336  
Carc. 2, H351  
Repr. 2, H361d  
STOT RE 1, H372

Full text of all classifications and hazard statements is given in the section 16.

##### Most serious adverse effects on human health and the environment

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date 16th November 2018  
Revision date 26th October 2022 Version 5.0

#### 2.2. Label elements

##### Hazard pictogram



##### Signal word

Danger

##### Dangerous substance

chloroform  
(Index: 602-006-00-4; CAS: 67-66-3)  
ethanol  
(Index: 603-002-00-5; CAS: 64-17-5)

##### Hazard statements

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H361d Suspected of damaging the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.

##### Precautionary statements

P261 Avoid breathing mist/vapours/spray.  
P280 Wear protective gloves.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P311 Call a doctor.

##### Supplemental information

Restricted to professional users.

#### 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

##### Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 602-006-00-4 CAS: 67-66-3 EC: 200-663-8 Registration number: 01-2119486657-20-0005	<b>substance main component</b> chloroform	>99	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331 STOT SE 3, H336 Carc. 2, H351 Repr. 2, H361d STOT RE 1, H372	1, 2

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457-610-43- xxxx	ethanol	1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	

#### Notes

- Substance with a Union workplace exposure limit.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

##### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

##### If swallowed

INDUCE VOMITING! Vomiting should be induced in the person only if conscious, within 1 hour from ingestion. If in doubt whether vomiting should be induced, contact the Toxicological Information Centre and give information about the substances or composition of the product as provided on the original packaging or in the safety data sheet of the product. FOLLOWING INGESTION OF TOXIC OR HIGHLY TOXIC SUBSTANCES, GIVE 10-20 CRUSHED TABLETS OF ACTIVATED CARBON, MIXED IN WATER, WITHIN NO LATER THAN 5 MINUTES - irrespective of whether vomiting could be induced. Call medical rescue service.

##### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Cough, headache. May cause drowsiness or dizziness.

##### If on skin

Causes skin irritation.

##### If in eyes

Causes serious eye irritation.

##### If swallowed

Irritation, nausea.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### European Union

##### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
chloroform (CAS: 67-66-3)	OEL 8 hours	10 mg/m <sup>3</sup>	Skin

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date 16th November 2018  
Revision date 26th October 2022 Version 5.0

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
chloroform (CAS: 67-66-3)	OEL 8 hours	2 ppm	Skin

#### DNEL

chloroform

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	333 mg/m <sup>3</sup>	Systemic acute effects		
Workers	Inhalation	2.5 mg/m <sup>3</sup>	Systemic chronic effects		
Workers	Dermal	0.94 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	0.18 mg/m <sup>3</sup>	Systemic chronic effects		

#### PNEC

chloroform

Route of exposure	Value	Value determination	Source
Drinking water	0.146 mg/l		
Seawater	0.015 mg/l		
Freshwater sediment	0.45 mg/kg		
Sea sediments	0.09 mg/kg		
Soil (agricultural)	0.56 mg/kg		
Microorganisms in wastewater treatment plants	0.048 mg/l		

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

##### Skin protection

When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly. Hand protection: Protective gloves resistant to the product (butyl rubber, Viton).

##### Respiratory protection

Use insulating breathing apparatus when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Mask with filter against organic vapors.

##### Thermal hazard

Not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	sweet
Melting point/freezing point	-61,3 °C

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

Boiling point or initial boiling point and boiling range	61 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	213 at 20 °C
Density and/or relative density	
Density	1,48 g/cm <sup>3</sup>

#### 9.2. Other information

not available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The substance is non-flammable.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the substance.

##### Acute toxicity

Harmful if swallowed. Toxic if inhaled.

ethanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		13300 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50		>15800 mg/kg		Rabbit	
Inhalation (vapor)	LC50		124.7 mg/l	4 hour	Rat (Rattus norvegicus)	

chloroform

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	908 mg/kg		Rat	

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date 16th November 2018  
Revision date 26th October 2022 Version 5.0

chloroform

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation			10.5 mg/l	4 hour	Rat	
Skin	LD50		1800 mg/kg		Rat	

#### Corrosivity

ethanol

Route of exposure	Result	Exposure time	Species
	No effect		Rabbit

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye irritation.

ethanol

Route of exposure	Result	Exposure time	Species
	Irritating		Rabbit

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

ethanol

Route of exposure	Result	Exposure time	Species	Sex
	Indeterminate		Human	

#### Mutagenicity

ethanol

Result	Exposure time	Specific target organ	Species	Sex
Indeterminate				

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Suspected of causing cancer.

ethanol

Route of exposure	Parameter	Value	Result	Species	Sex
Oral			Indeterminate	Rat (Rattus norvegicus)	

#### Reproductive toxicity

Suspected of damaging the unborn child.

ethanol

Effect	Parameter	Value	Exposure time	Result	Species	Sex
Developmental toxicity	NOAEL	38 mg/l		Negative	Rat (Rattus norvegicus)	
	NOAEL	5200 mg/kg	24 hour	Indeterminate	Rat (Rattus norvegicus)	

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date 16th November 2018  
Revision date 26th October 2022 Version 5.0

#### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

ethanol

Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 min	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

#### Toxicity for specific target organ - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

ethanol

Parameter	Value	Exposure time	Species	Environment	Value determination
EC50	42 mg/l	96 hour	Fishes		Experimentally
EC50	5012 mg/l	48 hour	Daphnia		Experimentally
NOEC	<500 mg/l	96 hour	Algae		Experimentally

chloroform

Parameter	Value	Exposure time	Species	Environment	Value determination
LC50	18 mg/l	96 hour	Fishes (Oncorhynchus mykiss)		
EC50	152.5 mg/l	48 hour	Daphnia (Crassostrea gigas)		
ErC50	13.3 mg/l	72 hour	Algae (Chlamydomonas)		
EC50	0.48 mg/l	24 hour	Bacteria (Nitrosomonas)		

### 12.2. Persistence and degradability

#### Biodegradability

chloroform

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	0 %	14 day		Hardly biodegradable

not available

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100. The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### SECTION 14: Transport information

#### 14.1. UN number or ID number

UN 1888

#### 14.2. UN proper shipping name

CHLOROFORM

#### 14.3. Transport hazard class(es)

6.1 Toxic substances

#### 14.4. Packing group

III - substances presenting low danger

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant


#### Additional information

Hazard identification No.

UN number

Classification code

Safety signs



T1  
6.1



## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

#### Air transport - ICAO/IATA

Packaging instructions passenger	680
Cargo packaging instructions	680

#### Marine transport - IMDG

EmS (emergency plan)	F-A, S-A
----------------------	----------

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

#### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

chloroform

Restriction	Conditions of restriction
32	<p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> <li>– as substances,</li> <li>– as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight,</li> </ul> <p>where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics.</p> <p>2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows: "For use in industrial installations only".</p> <p>By way of derogation this provision shall not apply to:</p> <ul style="list-style-type: none"> <li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li> <li>(b) cosmetic products as defined by Directive 76/768/EEC.</li> </ul>

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

#### Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves.
P311	Call a doctor.
P261	Avoid breathing mist/vapours/spray.

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid

## SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

### Chloroform stabilized with ethanol

Creation date	16th November 2018	Version	5.0
Revision date	26th October 2022		

Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 5.0 replaces the SDS version from 22 November 2021. Changes were made in sections 1,2,4,5,13 and 16.

**More information**

Classification procedure - calculation method.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.